


# JAPAN CRAFTED



From Japan's long and famous tradition of craftsmanship comes a brilliant new Neo Sports Café design which harmoniously blends the classic retro elements with ultra-modern styling.

With the pedigree of performance that Honda brings, with the new CB 1000R, we create a new category of Sports Roadster. For the riders who love their bike and take them to their full potential, we deliver a machine which is pure emotion to such discerning riders.

It's a category developed for the riders yearning for performance and style in a sophisticated package.









# Your style, your ride

Additional styling accessories to create your very own look on the road.

# Side view

Admire the way the metallic highlights make the functional components look so gorgeous. Create your very own NEO SPORTS CAFÉ.

#### **Rear view**

HONDA

If you have your own style and like pushing the limits as a rider well-versed with retro and modern bikes. Design a style that suits the way you ride.



# Meter visor

Compact aluminum meter visor designed to match the headlight housing for integrated styling around the front.



# Heated grips

Heated sports grip with superior heating and excellent control. Heating can be adjusted to three levels with the grip switch.

## Single seat cowl

Stunning atuminum finish single seat cowl to highlight the CB1000R's short tail profile.



**Radiator grille** 

the CB1000R logo.

Honeycomb mesh style covering

the entire radiator. Molded with

Shift assist system to help riders blip the throttle during gearshifts or downshifting. Allows gear changes using only the shift pedal, without having to use the clutch.

## Aluminum front fender cover

Aluminum front fender for the same integrated look as the side.

# **TECHNICAL SPECIFICATIONS**

ENGINE		CHASSIS	
Туре	Liquid-cooled, DOHC In-line 4 cylinder	Dimensions (LxWxH)	2120mm x 789mm x 1090mm
Valves per cylinder	4	Wheelbase	1455mm
Engine Displacement (cm³)	998cc	Seat Height	830mm
Bore and Stroke (mm)	75mm x 56.5mm	Ground Clearance	135mm
Compression Ratio	11.6:1	Kerb Weight	213kg
Max. Power Output	107kW @ 10,500rpm	SUSPENSION	
		Type Front	Showa SFF-BP USD fork
Max. Torque	104Nm @ 8,250rpm	Type Rear	Showa BRFC (Balance Free Rear Cushion)
FUEL SYSTEM		WHEELS	
Carburation	PGM-FI	Rim Size Front	Cast aluminium
Fuel Tank Capacity	16.2 litres	Rim Size Rear	Cast aluminium
ELECTRICAL SYSTEM		Tyres Front	120/70 ZR17 M/C (58W)
Starter	Electric	Tyres Rear	190/55 ZR17 M/C (75W)
Battery Capacity	12V/8.6AH	BRAKES	
DRIVETRAIN		ABS System Type	2 channel
Clutch Type	Wet, multiplate clutch	Front	310mm double disc
		Rear	256mm single disc
Transmission Type	6-speed	INSTRUMENTS & ELECTRICS	
Final Drive	Chain	Instruments	LCD
FRAME		Headlight	LED
Туре	Steel mono backbone	Taillight	LED

#### Honda Wing World:

NEW DELHI: C -126, Naraina Industrial Area ,Phase -1, New Delhi - 110028. Tel.: 011-25893730, 9910696721. MUMBAI: H - Kantilal & Co. Compound, Sakinaka, Andheri - East, Mumbai - 400072. Tel.: 022 - 28572726, 8600144213. Write to us at: wing.world@honda2wheelersindia.com



Honda Motorcycle and Scooter India Pvt. Ltd., Registered Office:

Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana), India Website: www.honda2wheelersindia.com; Customer Care: customercare@honda2wheelersindia.com