

# SUPERIOR PERFORMANCE

**POWER & REFINEMENT** 

Ever since its inception, TVS Jupiter has kept the consumers' needs at the forefront and delivered on its brand philosophy of offering 'ZYADA' on every count.

Over **4.5 million happy customers** stand testament to this philosophy.

Continuing this focus on meeting the consumers'
evolving needs & offering Zyada, the new TVS Jupiter 125
has been designed with several class-leading features
which help taking this philosophy further by offering

ZYADA SE BHI ZYADA on every ride.









# PREMIUM STYLE

STYLISH & PREMIUM









# BIGGER SPACE

LARGER & MORE CONVENIENT



LARGEST UNDERSEAT STORAGE SPACE

Bigger than ever storage space of 33 litres that can comfortably fit two helmets



LARGE FRONT LEG SPACE



**SPACIOUS 2L GLOVE BOX** 

## SOLID SAFETY

HELPING YOU STAY SAFE IN ALL YOUR JOURNEYS





SIDE STAND INDICATOR & INHIBITOR
This safety feature ensures that the engine cuts
off when the side stand is engaged, improving
rider safety



DISC BRAKE WITH SYNC BRAKING TECHNOLOGY

For safe & better braking stability

### **BODY BALANCE TECHNOLOGY**

Body Balance Technology helps make the vehicle easier to control and manoeuvre



## **VERSATILE CONVENIENCE**

FOR ALL YOUR JOURNEYS; SHORT OR LONG



### **ADVANCED DIGITAL SPEEDOMETER**

Mileage performance indicators help with information such as Distance-to-Empty, Average Fuel Efficiency & Low Fuel Indicator.



EXTERNAL FUEL FILLING IN FRONT + LARGE 5.1 LTR TANK



CONVENIENT ALL-IN-ONE LOCK & MOBILE CHARGER



### DYNAMIC COMFORT

RIDING COMFORT UNDER ALL CONDITIONS



LONG FLAT SEAT (LARGEST IN SEGMENT)



**EASY GROUND REACH**The optimum seat height ensures that your legs reach the ground **easily** 



ADVANCED TELESCOPIC SUSPENSION



ADJUSTABLE REAR SHOCKS
Adjustable rear shocks with 1st in industry Monotube Inverted Gas filled shocks (MIG) for extra cushioning

### **SPECIFICATIONS**

### **ENGINE (BS-VI compliant)**

Туре Displacement Bore x Stroke

Fuel Supply system

Air Filter Type Maximum Power

Maximum Torque Transmission Type

#### **ELECTRICALS**

Ignition Battery Head Lamp Taillamp Starting System

#### **CHASSIS & SUSPENSION**

Frame

Dimensions (Ixbxh)

Wheelbase Ground Clearance

Seat length Kerb Weight Fuel tank capacity

Wheels

Front Suspension Rear Suspension

Front Rear

*Tyre Size (Front & Rear)* 

Single cylinder, 4 stroke, Air cooled

124.8 cc

53.5 x 55.5 mm

ETFI-Fuel injection- Closed loop

Paper filter

6.0 kW @ 6500 rpm 10.5 Nm @ 4500 rpm

CVT automatic

ECU Controlled ignition 12V, 4Ah MF battery

LED with Clear lens with MFR Bulb with LED light guide Electric Silent start

High rigidity underbone type

1852 x 681 x 1168

1275 mm

163 mm (unladen)

790 mm 108 kg 5.1 L

Allov

Telescopic hydraulic

Monotube Inverted Gas filled shock (MIG)

with Spring aid 3 step adjustable

#### **BRAKES & TYRES**

220 mm Disc 130 mm Drum

90/90-12 54J (tubeless)

## **COLOURS**















