

Telusie Telusi

HF Deluxe-Naye Indian ki deluxe bike



The new HF Deluxe Pro is here. Designed to be the perfect match for the New Indian – who is ambitious, value-conscious, and purpose-driven. The HF Deluxe Pro gets upgraded styling, best-in-class technology, and fuel efficiency. With a Horizon Digital Console (LFI) and a striking LED Headlamp, it's a statement of progress and safety. New premium graphics and four exciting colour schemes give it immense youthful appeal.

The HF Deluxe Pro empowers new Indians to achieve their dreams, offering improved mileage as a dependable, smart choice. It truly embodies 'Naye India Ki Deluxe Bike'.



PRO FEATURES

HF Deluxe Pro is packed with advanced features for a better ride. These innovations combine technology with style, making every journey smarter, safer, and more exciting.





Superior Safety



Modern Features



Comfortable Journey



Unrivaled Strength



Powerful Performance

PRO FEATURES



Improved Mileage



Digital Console



LED Headlamp




New Graphics

NEW AGE CAPABILIES

LED Headlamp

Providing brighter, more focused light, the LED Headlamp enhances safety and visibility, especially at night or in low-light conditions.




Horizon Digital Console with LFI

This smart digital screen clearly displays essential information like speed and fuel level. The Low Fuel Indicator (LFI) lights up to warn you when fuel is low, helping you plan your next stop. It instils confidence, empowering you on your journey to conquer new challenges.



New Premium Graphics and Funk Lime Colour

These striking visual updates make your bike stand out. The fresh graphics and bold colour schemes appeal to new India's young riders, offering a stylish and contemporary design that reflects their dynamic spirit.



IMPROVED MILEAGE

The **HF Deluxe Pro** allows for longer rides on a single tank, making it a more economical choice than the competition and previous versions. It's the right bike for daily commutes, long journeys, and every road that leads to a better tomorrow.

Intelligent Sensor

Modern technology enhances mileage, pickup capacity, and provides more power for a comfortable and carefree ride.



i3s Technology

Smart i3s technology plays a crucial role in fuel efficiency. It automatically turns the engine on and off at traffic lights, saving unnecessary fuel consumption.

9.6 L Fuel Tank

A large fuel tank that allows continuous travel without stopping, providing freedom for long journeys.



UNRIVALED STRENGTH

112 Kg Kerb Weight

HF Deluxe boasts impressive kerb weight, offering incredible



Powerful Engine and Excellent Performance

5.9KW Powerful Engine

Provides strong pickup and load capacity.



SUPERIOR SAFETY

Tubeless Tires

Make every ride safer, even if the tires puncture, you can travel a safe distance.




130mm Front and Rear Brakes

Ensures superior control, enhanced riding confidence, and maximum safety on every road and turn.

Integrated Braking System

The integrated braking system technology ensures more skillful braking for a safer ride.





Stable Front Tire

HF Deluxe comes with an 18-inch wide front tire, making the ride more stable and comfortable.





Leg Guard

Plays a crucial role in keeping the rider safe during accidents and protecting the bike from dents.

Side Stand Indicator Cluster

Ensures rider safety with the side stand indicator on the instrument cluster. Lifting the stand before starting the bike can prevent accidents.



COMFORTABLE JOURNEY

733mm Long Seat


Designed keeping the rider in mind, it enhances rider and passenger ride comfort.



2-Step Adjustable Suspension

This feature helps adjust the suspension to suit the load for a comfortable ride.






Better Service Interval

HF Deluxe's excellent performance allows freedom from frequent servicing. Now, service your bike only once every 6 months.

HF DELUXE PROINT IN 4 ATTRACTIVE COLOURS





SPECIFICATIONS

JPLGITIGATIONS		
Engine	Engine Type Bore & Stroke Displacement (Cm3) Compression Ratio Max Power [kw(hp)/rpm] Max Torque (Nm/rpm) Fuel System	Air cooled, 4 stroke, single cylinder OHC 50.0 mm X 49.5 mm 97.2 cc 9.9:1 5.9 kW @ 8000 rpm 8.05 Nm @ 6000 rpm Advanced Programmed Fuel Injection
Transmission and Chassis	Frame Type Transmission Type Clutch Type	Tubular Double Cradle Constant Mesh , 4 speed Wet Multi Plate
Suspension	Front Suspension Type Rear Suspension Type	Telescopic Hydraulic Shock absorbers Swing arm with 2-step adjustable Hydraulic Shock Absorbers
Brakes	Front Brake Type Rear Brake Type	Drum -Dia. 130 Drum -Dia. 130 (Integrated braking system)
Tyres	Front Tyre Size Rear Tyre Size	80/100-18 M/C 47P (Tubeless) 80/100-18 M/C 54P (Tubeless)
Electricals	Battery (V-Ah) Starting System	MF-4 : 12V, 3 Ah (Electric start) Kick / Self (with i3s)
Dimensions	Overall Length Overall Width Overall Height Wheelbase Seat Height Ground Clearance Fuel Tank Capacity Kerb Weight	1965 mm 720 mm 1045 mm 1235 mm 805 mm 165 mm 9.6 Litre (8.6 Litre usable) 110 kg (Kick Start) 112 kg (Self Start)












Book now


Request a call back

HeroMotoCorp.com




HeroMotoCorpLimited





TRUST OF HERO







Regd. Office: Hero Moto Carp Limited, The Grand Plaza, Plot No.2, Nelson Mandela Road, Vasant Kunj-Phase - II, New Delhi - 110070, India. CIN: L35911DL1984PLC017354. Phone No.: 011 - 46044100. For further information, contact nearest Hero MotoCorp authorised outlet or call our tollfree no.: 1800 - 266 - 0018 or visit us on www.heromotocorp.com. Accessories and features shown may not be part of standard fitment. Always wear a helmet while riding a two wheeler.

It is our endeavour to improve our product. This could lead to changes in product specifications without notice. **As per the cumulative global production volume till 31st March 2023. *Based on offers from empanelled dealers on Wheels of Trust platform. For further information, contact nearest Hero MotoCorp authorised outlet (s) or call Toll Free No. 1800-266-0018 or visit website www.heromotocorp.com. *Terms & Conditions apply.