

•

. . . .

PERFORMANCE. LUXURY. POWER.





aprilia® THE LEGACY

- **>>>>>**



FOR THOSE WHO SEEK
GOALS WITH NO LIMITS
ADRENALINE WITH NO BOUNDS
RIDES POWERED BY THRILL
EXPERIENCE BEYOND THEIR LIMITS
TECHNOLOGY FUELLED BY PERFORMANCE

FOR THOSE WHO FEEL AT HOME ON THE ROAD.



A Performance Connoisseur, who keeps testing their limits and pushing boundaries, they crave the rush of riding high performance motor vehicles. They understand and value machine tech and innovation in their ride.









Built for riders who crave the exhilaration of high-octane experiences whether it's in life or on the road. Thriving on speed, you make time in your routine for the daily rush of adrenaline, you strive to transcend your own limits and ace your personal time for every ride. Make the most of your mundane daily rides into action-packed adventures with the Aprilia SR

SIGNAL TO SIGNAL DOMINATION

With the SR, go from 0-60 Kmph in under 7.5 seconds* from one signal to another. The closest emotion to describe this feeling is like you have risen above the city streets. As the pace of the ride makes the sidelines blurry, and the harmonious sound of the engine's roar drowns the street noise, you have ignited the action.



125 CC & 160 CC



Powerful 3V i-get Engine.

PERFORMANCE **(4)**

CVT for smooth ride and quick acceleration.

BRAKES 🍪

Ø 220 mm ventilated front disc brake ABS in 160 cc and CBS in 125 cc.

SUSPESION 🧪

Telescopic fork front suspension for superior handling.





aprilia®



160 CC

ENGINE 💞



Powerful 3V i-get Engine.

PERFORMANCE **(4)**



CVT for smooth ride and quick acceleration.

BRAKES 👶



Ø 220 mm ventilated front disc brake ABS in 160 cc.

SUSPESION 🧪



Telescopic fork front suspension for superior handling.



160 CC



Powerful 3V i-get Engine.

PERFORMANCE **(4)**

CVT for smooth ride and quick acceleration.

BRAKES 🍪

Ø 220 mm ventilated front disc brake ABS in 160 cc.

SUSPESION 🧪

Telescopic fork front suspension for superior handling.











EVERY CHALLENGE>>>>> ACCEPTED

Designed for you, the wanderer who has chosen to forge your own path, you have a natural affinity for the open highways over the bustling cities. Each time you embark on a new journey, you seek out uncharted territory and thrilling escapades. Revelling in the freedom of the open road, you find joy and excitement in every mile travelled.

COMFORT YOU NEED THRILL YOU DESERVE

Aprilia SXR is equipped with a superlative weight distribution design strategy that ensures the highest stability even at top speeds and rough terrains. With the SXR, get the best of performance, luxury, and high-end design on every off-road terrain you conquer so you don't just take on challenges, you cruise right through them.



125 CC & 160 CC



Powerful 3V i-get Engine.

PERFORMANCE **(4)**

CVT for smooth ride and quick acceleration.

BRAKES

Ø 220 mm ventilated front disc brake ABS in 160 cc and CBS in 125 cc.

SUSPESION 🧪

Telescopic fork front suspension for superior handling.



Book A Test Ride



















Model	SR 125	SR 160 / Carbon 160 / Race 160	SXR 125
Displacement	124.45 cc	160.03 cc	124.45
Maximum Power	10.11 PS @ 7300 RPM	11.27 PS @ 7100 RPM	9.61 PS
Maximum Torque	10.33 Nm @ 5500 RPM	13.44 Nm @ 5300 RPM	10.19 N
Fuel Tank Capacity	6 Litres	6 Litres	7 Litres
Front Suspension	Front fork with 30 mm inner tube	Front fork with 30 mm inner tube	Hydraul
Rear Suspension	Mono shock absorber	Mono shock absorber	Hydraul
Front Brake	Ø 220 mm disc with hydraulic control assisted by CBS	Ø 220 mm disc with hydraulic control assisted by ABS	Ø 220 m combi t
Rear Brake	Ø 140 mm drum brake	Ø 140 mm drum brake	Ø 140 m
Front Tyre	Tubeless 120/70 - 14"	Tubeless 120/70 - 14"	Tubeles
Rear Tyre	Tubeless 120/70 - 14"	Tubeless 120/70 - 14"	Tubeles
			

SXR 125	SXR 160
124.45 cc	160.03 cc
9.61 PS @ 7500 RPM	11.09 PS @ 7200 RPM
10.19 Nm @ 5400 RPM	12.13 Nm @ 5500 RPM
7 Litres	7 Litres
Hydraulic double telescopic	— Hydraulic double telescopic
Hydraulic shock absorber	Hydraulic shock absorber
Ø 220 mm disk brake with combi braking system (CBS)	Ø 220 mm disk brake with antilock braking system (ABS)
Ø 140 mm drum brake	Ø 140 mm drum brake
Tubeless 120/70 - 12"	Tubeless 120/70 - 12"
Tubeless 120/70 - 12"	Tubeless 120/70 - 12"

Book A Test Ride 🕌

- 24x7 | 2 Years Free RSA
- 5 Years Warranty*



Scan QR Code to get assistance

- aprilia®

-

Piaggio Vehicles Pvt. Ltd., 1st Floor, Sky One Corporate Park, Viman Nagar, Pune 411032 shop.apriliaindia.com | 1800-1088-784 | SMS "APRILIA" to 56677

- f APRILIAOFFICIALINDIA
- APRILIA INDIA
- APRILIAINDIA