





Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Yourtechnical bit.

Data & Equipment.

- Standard O Optional - Not available
- ¹ With airbag deactivation for front passenger
- and only optional in combination with Leather electric seats. ² Mandatory for EU28, RHD countries and e-HYBRID. For countries not mandatory, only in combination with leather seats (WL1). For Turkey,
- Norway and Switzerland, this option does not require leather seats (WL1). ³ With Cruise Control system for Style, Xcellence and FR. Includes 3-point seat belts.
- ⁴ Not compatible with Navi System nor Safe & Driving Pack L/XL in combination with Media System+ 8,25".
- ⁵ Only available in combination with Navi System+ 10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack L/XL in combination with Navi System+ 10".
- ⁶ Requires LED interior Wraparound Ambient Light (PLH). Not compatible with Navi System nor Safe & Driving Pack M/XL in combination with Media System+ 8,25". Rear Traffic Alert in combination with Media System+ 8,25" will be available from w.48, 2020.
- Requires LED interior Wraparound Ambient Light (PLH). Only available in combination with Navi System+ 10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack M/XL in combination with Navi System+ 10".
- ⁸ Only available with DQ engines. Requires LED interior Wraparound Ambient Light (PLH) and Safe and NCAP Pack (WSF). Not compatible with Navi System nor Safe & Driving Pack M/L in combination with Media System+ 8,25". Rear Traffic Alert in combination with Media System+ 8,25" will be available from w.48, 2020.
- ⁹ Only available with DQ engines. Requires LED interior Wraparound Ambient Light (PLH) and Safe and NCAP Pack (WSF). Only available in combination with Navi System+ 10".
- Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack M/L in combination with Navi System+ 10".
- ¹⁰ Not compatible with SEAT CONNECT (R3B and R3C).
- ¹¹ With 4 handholds for Style (5N4). Not compatible with towing hook from factory (PGR) and towing hook preparation (PRP) in combination with e-HYBRID engine.
- ¹² Not available for eTSI and TGI engines.
- ¹³ Includes standard wheel bolts.
- ¹⁴ Includes wheel bolts with anti-theft protection.
- ¹⁵ Includes standard wheel bolts. Not available for TGI engines.
- ¹⁶ Not available for DG1 engine.
- ¹⁷ Not available for DG8 MQ engine.
- ¹⁸ Includes wheel bolts with anti-theft protection. Not available for DG8 MQ engine.
- ¹⁹ Available from w.48, 2020. Includes wheel bolts
- with anti-theft protection. Not available for DG8 MQ engine.
- ²⁰ Includes wheel bolts with anti-theft protection.
- Not available for DG8 MQ engine.
- ²¹ Optional only for engines until 110kW. Not available with DG8 MQ engines.
- ²² Not available for e-HYBRID and TGI engines. Not compatible with PBB.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Safety

Visual and acous with electric cont

Safety	Reference	Style	Xcellence	FR
3-point seat belts in front and rear	٠	٠	•	٠
Visual and acoustic seat belt reminder with electric contact in front and rear	•	٠	٠	٠
Child seat anchors for child seat system i-Size	•	٠	•	•
6 Airbags (2 front, 2 front side and 2 curtain) ¹	•	•	•	•
Side, curtain and central airbags²	•	•	•	•
Rear side, knee and central airbags: Side airbag in front and rear with curtain airbag and interaction airbag in front. Also airbag for driver and front passanger with knee airbag and front passanger airbag deactivation	-	0	0	0
Safe Pack ³ : Forward collision warning with braking reaction to vehicles, pedestrians and cyclists. It includes multi-functional camera, lane keeping system, speed limiter and driver alert system	•	•	•	•
Safe and Driving Pack M in combination with Media System+ 8.25" *: High Beam Assist	_	0	0	0
Safe and Driving Pack M in combination with Navi System+ ⁵ : High Beam Assist and Traffic Sign Recognition	-	0	0	0
Safe and Driving Pack L in combination with Media System+ 8.25" ⁶ : High Beam Assist, Side Assist and Exit Assist	-	_	0	0
Safe and Driving Pack L in combination with Navi System+ ⁷ : Side Assist, Exit Assist, Exit Warning, High Beam Assist and Traffic Sign Recognition	-	_	0	0
Safe and Driving Pack XL in combination with Media System+ 8.25"8: Light Assist, Travel Assist, Adaptive Cruise Control, Exit Assist, Emergency Assist, Side Assist and Lane Assist Plus with lane central guidance and heated steering wheel	-	_	0	0
Safe and Driving Pack XL in combination with Navi System+ ⁹ : Light Assist, Travel Assist, Adaptive Cruise Control Predictive, Side Assist, Exit Assist, Exit Warning, Emergency Assist, Traffic Sign Recognition and Lane Assist Plus with lane central guidance and heated steering wheel	-	_	0	0
Public emergency call (eCall) ¹⁰	0	0	0	0
Alarm with safe function	0	0	0	0

Exterior	Reference	Style	Xcellence	FR
Exterior mirror in body colour	•	•	•	•
Rear spoiler	•	•	•	•
Electric sunroof with spoiler ¹¹	-	0	0	0
Sports bumpers	-	•	-	•
Heat-insulating windshield glass	•	•	•	•
Rear tinted windows	-	0	•	•
Chromed Pack with bright window frames	-	0	•	0
Glossy Black frame windows with black decorative trims	-	-	-	0
Breakdown kit	•	٠	•	•
Tire pressure monitoring system	•	٠	•	•
All season tires 205/55 R16 94V xl12	0	0	-	-
All season tires 16"	-	0	-	-
All season tires 16" with Urban 16" steel wheel ¹³	0	-	-	-
All season tires 16" with Design 16" alloy wheels ¹⁴	0	-	-	_
Urban 15" steel wheels	•	-	-	_
Urban 16" 30/1 steel wheels ¹⁵	0	-	-	-
Urban 16" 30/2 alloy wheels ¹⁴	0	٠	-	-
Dynamic 17" 30/3 alloy wheels ¹⁶	-	0	-	_
Dynamic 17" alloy wheels	-	-	•	-
Dynamic 17" alloy wheels	-	-	-	•
Performance 18" 30/4 Machined alloy wheels in Nuclear Grey ¹⁷	_	-	0	-
Performance 18" 30/6 Machined alloy wheels in Cosmo Grey ¹⁷	_	_	-	0
Performance 18" 30/9 Machined alloy wheels in Cosmo Grey ¹⁸	_	-	-	0
Performance 18" 30/8 Machined alloy wheels in Nuclear Grey ¹⁹	_	_	0	-
Performance 18" Machined aerowheels in Nuclear Grey ²⁰	_	-	0	-
Performance 18" Machined aerowheels in Cosmo Grey ²⁰	_	-	-	0
Performance 18" Machined alloy wheels with sporty tires ²¹	-	_	0	0
Spare wheel 18"22	0	0	0	0

Exterior	Reference	Style	Acellence	FR
Tool kit	•	•	•	•
Tool kit and jack	0	0	0	0
Towing hook preparation ²³	0	0	0	0
Towing hook from factory ²⁴	0	0	0	0
Wheel bolts with unlockable anti-theft protection	0	0	0	0
Interior				
Folding grab handles ²⁵	•	•	-	-
Multi-piece folding grab handles ²⁶	_	-	•	•
Gearshift knob/handle in plastic	•	-	-	-
Gearshift knob/handle in leather	-	٠	•	٠
Grey greenhouse	•	٠	•	٠
Black greenhouse	_	-	0	0
Cloth comfort seats	•	٠	•	٠
Dinamica sport seats ²⁷	-	0	0	0
Leather Black sport seats ²⁸	_	0	0	0
Steering wheel with trim pin	_	-	•	٠
Multi-functional sport leather steering wheel	-	٠	•	٠
Manual height adjustment for front seats ²⁹	•	٠	•	٠
Manual lumbar support adjustment for front seats ³⁰	-	٠	•	٠
Drawer under left front seat	-	٠	•	٠
Luggage pockets on backrest	-	٠	•	٠
Unsplit rear seat bench, split folding backrest ³¹	•	٠	•	٠
Comfort luggage compartment	•	٠	•	٠
Interior chrome inserts	-	٠	•	٠
Illuminated door step	-	-	•	•
Sun visors with illuminated mirror	-	٠	٠	٠
Sun visors with ticket pocket on driver side and airbag label	•	-	-	-
Dimming breakaway interior rearview mirror	•	٠	-	٠
1 zone Climatronic	•	۲	_	-
3 zone Climatronic ³²	-	0	•	٠
One reading light in front	•	-	-	-
Two reading lights in front and two in rear	-	٠	•	٠

Reference Style Xcellence FR

Exterior

Standard

OOptional

- Not available
- ²³ Not compatible with towing hook from factory (PGR) and neither with electric sunroof (PTC) in combination with e-HYBRID engines. Not available for TGI and DG1 engines.
- ²⁴ Not available for TGI or DG1 engines.
- ²⁵ Three handholds.
- ²⁶ Four handholds.
- ²⁷ Not available with Storage Pack (PST) or foldable heated exterior mirrors (PFB). Requires SEAT Full LED (PXX).
- ²⁸ Available from w.45, 2020. Includes Winter Pack. Not available with Storage Pack (PST), foldable heated exterior mirrors (PFB) or door handle high on rear seats. Requires SEAT Full LED (PXX) and Side, Curtain/Knee and Central airbags (PA1/PA7).
- ²⁹ Only passenger seat for Reference.
- ³⁰ Only passenger seat for Style.
- ³¹ With central armrest for Xcellence and FR.
- ³² Optional for Style within Style Comfort Pack.
- ³³ Available from w.42, 2020 and only for e-HYBRID engines.
 ³⁴ Not available with eTSI, TGI and e-HYBRID engines. Neither available with Leather and Dinamica electric seats. Requires Style Comfort for Style (P2A) and includes mats in center console storage area, cupholder and front armrest (if available).
- ³⁵ Standard for TGI and e-HYBRID engines.
- ³⁶ Available from w.48, 2020. Requires SEAT Digital Cockpit (PFK) and includes SEAT CONNECT (R3B) with Safety & Services and Remote Access. In case of combining this pack with Full Link, only available with PML.
- ³⁷ Requires Emergency spare wheel 18" (PG6) and Style Comfort (P2A) for Style eTSI engines. Not available for e-HYBRID nor TGI engines. Only available in combination with Navi System+ (ZN2) or Media System+ (ZB9). For eTSI engines includes double floor (SA5 and 3GN).
- ³⁸ Requires Rear Parking Sensor (PAK) or Park Assist + PLA (PK5).

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Operating voltag

A	lternator 140 A
2	30 V socket in b
N	lode 3 charging
S	EAT Charger
S	EAT Charger Pr
S	EAT Charger Co

Interior

Transport protect Storage Pack³⁴: Drawer under the

under left front s cupholder, front double floor in b with storage com

Electronics

Instrument cluster External USB with Antenna for FM re SEAT Digital Cock SEAT Media Syste SEAT Media Syste Multi-functional m Mobile phone inte 4 speakers (passi 6 speakers (passi BeatsAudio[™] so 9 premium sped a 21/0W amplifo

a 340W amplifie Driving profile self and conventional Interior Smart Wro LED Interior Ambie

Interior Ambient

- Rear View Camer
- Park Assist

	Reference	Style	Xcellence	FR	
ge 12 V	•	•	•	•	•
	•	•	•	•	-
boot	0	0	0	0	
g cable for e-HYBRID ³³	-	-	0	0	-
	-	-	0	0	-
Pro	-	-	0	0	-
Connect	-	-	0	0	-
ction film	0	0	0	0	_
4: he right front seat, document holder seat, decorative inserts for console, t armrest, horitzontal net in boot, boot and luggage compartment trim mpartments	-	0	0	0	_

er with km/h speedometer	٠	٠	٠	٠
h socket front	•	•	-	-
eception only	٠	•	٠	٠
ckpit ³⁵	-	0	٠	٠
em+ 8.25"	•	•	•	•
tem+ 10" ³⁶	0	0	0	0
medium display computer	٠	•	-	-
terface	-	•	•	•
sive]	٠	_	-	-
sive)	-	•	•	•
ound system ³⁷ : akers, a subwoofer box, er and surround technology	_	0	0	0
elector al shock absorber	-	-	-	٠
rapearound	-	-	-	٠
ient Light with Smart Wraparound	-	-	0	0
Lighting	-	-	•	-
era ³⁸	-	0	0	0
	-	0	0	0

Standard

Optional

- Not available

- ³⁹ Not available for e-HYBRID, TGI, DG1 and DG8 engines.
- ⁴⁰ Only available where Front Assist available.
- ⁴¹ Reference requires Reference Pack (W1A). Not compatible with ZN2 and PMK.
- ⁴² Reference requires Reference Pack (W1A).
 Not compatible with ZN2 and PMK. SOP w.48,2020.
 ⁴³ Requires ZN2. Not compatible with PML and PMQ.
- ⁴⁴ Requires ZNZ: Not Compatible with and Pink and Pi
- ⁴⁵ Standard for e-HYBRID engines.
- ⁴⁶ Includes private Emergency Call, Safety Services for 10 years, Remote Access for 1 year and Online Infotainment for 1 year (renewals needed after). Not compatible with SEAT CONNECT for Media System+ (R3B) and eCall (REC). Requires Navi System+ (ZN2).
- ⁴⁷ Includes private Emergency Call, Safety Services for 10 years and Remote Access for 1 year (renewals needed after). Not compatible with SEAT CONNECT for Navi System+ [R3C] and eCall (REC).
- 48 Without Safelock.
- ⁴⁹ Requires alarm.
- ⁵⁰ Only available for Style in combination with leather seats with memory feature (WL1/WL3). Requires SEAT Full LED (PXX).
- ⁵¹ Requires Safe and NCAP Pack (WSF).
- ⁵² Includes Air Quality Sensor (AQS), AirCare, iClimates and Climate Achieved functions (Climate Achieve function will be available from w.48, 2020).

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Electronics	Reference	Style	Xcellence	FR
Parking heater ³⁹	_	0	0	0
Pre-crash Assist ⁴⁰	-	0	0	0
Connectivity Box: Wireless charger and Mobile Signal Amplifier	-	0	0	0
Full Link via cable for Media System+41	0	0	0	0
Full Link via wifi for Media System+ 8,25"42	0	0	0	0
Nireless Full Link technology or Navi System+ with Media Control ⁴³	-	0	0	0
Navi System+"": Options in infotainment (MIB3), voice control and wireless "RSE App"	-	0	0	0
Cartography for Europe with Mapcare ⁴⁵	-	0	0	0
SEAT CONNECT with Navi System+46	-	٠	•	٠
SEAT CONNECT with Media System+47	•	٠	•	•
Rear parking sensor with park distance control	-	0	•	•
Electronic Cruise Control system (CCS)	-	٠	•	•
Central locking system Keyless Go48	•	٠	-	۲
Keyless Advanced ⁴⁸	-	0	•	0
Keyless Advanced with Safe ⁴⁹	-	0	0	0
Tailgate lid unlocking from outside	•	٠	•	٠
Electronic parking brake	•	•	•	•
Electronic differential lock XDS with dynamic traction support	•	٠	•	٠
Brake control system for vehicles without electric drive ESC and electromechanical brake booster)	•	٠	•	٠
Electronic immobilizer	•	•	•	٠
Speed-related variable steering assist (Servotronic)	•	•	•	•
Power-adjustable exterior mirrors	•	-	_	-
Power-adjustable heated exterior mirror	0	٠	_	-
Foldable heated exterior mirrors with front passanger lowering function	_	0	•	٠
Foldable heated exterior mirrors with memory function ⁵⁰	_	0	-	-
Nindshield wiper intermittent control with potentiometer (four speeds)	•	٠	_	٠
Heat-insulating side and rear windows glass	•	•	-	-

Electronics

Power windows operation and c
Single-tone horr
Two-tone horn
Headlight range

Eco LED headlam

Eco LED rear lamp Full LED rear lamp

LED fog lamps wit

Separate daytime with automatic he

LED Interior Illur Front and rear re

boot and glove b

Front LED lights i box area LED illu

Full LED with aut LED Headlamp, F and Welcome Lig

Reference Pack⁵ Multi-funcional sp mobile phone inte in leather, Cruise

Style Comfort P Center armrest in and rear and 3-z control panel in r

Winter Pack⁴⁹: Heated front sea

Convenience Pa Rain and auto-di Leaving Home, w and breakaway i

Dynamic and Co SEAT Drive Profile Progressive steer and shock absorp

	Reference	Style	Xcellence	FR
with comfort rcuit breaker	•	٠	•	٠
1	•	٠	-	-
	-	-	•	٠
control	•	٠	•	٠
nps	•	•	•	•
qr	•	•	_	-
np (Infinite Light)	-	-	•	٠
ith cornering function	0	0	•	٠
ne running light eadlight control	•	٠	-	•
umination Pack: eading lights, sunvisor, box in LED	-	٠	-	-
umination Pack: in footwell and conectivity umination	-	0	-	-
utomatic headlight adjustment: Full LED rear lamps with dynamic light ight	t –	0	0	0
k⁵¹: sport leather steering wheel, iterface, gearshift knob/handle e Control system and speed limiter	0	_	-	-
Pack: in front, external USB in socket front zone Climatronic with air conditioning rear ⁵²	-	0	•	•
ats, wash water and steering wheel	-	0	0	0
ack: Jimming light sensor with Coming and windshield wiper intermittent control interior rearview mirror	-	0	•	0
Comfort Pack⁵⁰: ile, Dynamic Chassis Control, ering, Sport HMI, disc brakes rption in front	-	-	0	0

Leon Sportstourer.

Standard Optional

- Not available

- ¹ With airbag deactivation for front passenger
- and only optional in combination with Leather electric seats.
- ² Mandatory for EU28, RHD countries and e-HYBRID. For countries not mandatory, only available in combination with leather seats (WL1). For Turkey, Norway and Switzerland, this option does not require leather
- seats (WL1). ³ With Cruise Control system for Style, Xcellence and FR.
- Includes 3-point seat belts.
- ⁴ Not compatible with Navi System nor Safe & Driving Pack L/XL in combination with Media System+ 8,25".
- ⁵ Only available in combination with Navi System+ 10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack L/XL in combination with Navi System+ 10".
- ⁶ Requires LED interior Wraparound Ambient Light (PLH). Not compatible with Navi System nor Safe & Driving Pack M/XL in combination with Media System + 8,25". Rear Traffic Alert in combination with Media System 8,25" will be available from w.48, 2020.
- Requires LED interior Wraparound Ambient Light (PLH). Only available in combination with Navi System+ 10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack M/XL in combination with Navi System+ 10".
- ⁸ Only available with DQ engines. Requires LED interior Wraparound Ambient Light (PLH) and Safe and NCAP Pack (WSF). Not compatible with Navi System nor Safe & Driving Pack M/L in combination with Media System+ 8,25". Rear Traffic Alert in combination with Media System+ 8,25" will be available from w.48, 2020.
- ⁹ Only available with DQ engines. Requires LED interior Wraparound Ambient Light (PLH) and Safe and NCAP Pack (WSF). Only available in combination with Navi System+10". Not compatible with Safe & Driving Pack M/L/XL in combination with Media System+ 8,25" neither with Safe & Driving Pack M/L in combination with Navi System+10".
- ¹⁰ Not compatible with SEAT CONNECT (R3B and R3C).
- ¹¹ With 4 handholds for Style (5N4). Not compatible with DG1 engine, neither with towing hook from factory (PGR) and towing hook preparation (PRP) in combination with e-HYBRID engine.
- ¹² Includes standard wheel bolts.
- ¹³ Includes wheel bolts with anti-theft protection.
- ¹⁴ Not available for TGI engines.
- ¹⁵ Not available for DG1 engine.
- ¹⁶ Not available for DG8 MQ engine.
- ¹⁷ Includes wheel bolts with anti-theft protection. Not available for DG8 MQ engine.
- ¹⁸ Available from w.48, 2020. Includes wheel bolts
- with anti-theft protection. Not available for DG8 MQ engine.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Safety

3-point seat belt

Visual and acous with electric cont

Child seat ancho

6 Airbags (2 front

Side, curtain and

Rear side, knee Side airbag in fro and interaction of

and front passar passanger airbo

Safe Pack³:

Forward collision to vehicles, pede multi-functional speed limiter an

Safe and Drivin with Media Syst High Beam Assis

Safe and Drivin with Navi Syste High Beam Assis

Safe and Drivin with Media Syst High Beam Assis

Safe and Drivin with Navi Syste Side Assist, Exit Assist and Traffi

Safe and Drivin with Media Syst

Light Assist, Trave Assist, Emergence Plus with lane ce wheel

Safe and Drivin with Navi Syster Light Assist, Trave Predictive, Side A Emergency Assis Assist Plus with la steering wheel

	Reference	Style	Xcellence	FR
lts in front and rear	•	٠	•	•
ustic seat belt reminder ntact in front and rear	٠	٠	•	•
ors for child seat system i-Size	•	•	•	•
nt, 2 front side and 2 curtain)1	•	٠	•	•
nd central airbags²	•	٠	•	•
e and central airbags: front and rear with curtain airbag a airbag in front. Also airbag for driver anger with knee airbag and front bag deactivation	-	0	0	0
on warning with braking reaction destrians and cyclists. It includes al camera, lane keeping system, nd driver alert system	0	0	0	0
ing Pack M in combination stem+ 8.25"4: ist	-	0	0	0
ing Pack M in combination em+⁵: ist and Traffic Sign Recognition	-	0	0	0
ing Pack L in combination stem+ 8.25"6: ist, Side Assist and Exit Assist	-	_	0	0
ing Pack L in combination em+ ⁷ : it Assist, Exit Warning, High Beam ffic Sign Recognition	-	_	0	0
ing Pack XL in combination stem+ 8.25" ⁸ : wel Assist, Adaptive Cruise Control, Exi ncy Assist, Side Assist and Lane Assist central guidance and heated steering	t _	-	0	0
ing Pack XL in combination em+ ⁹ : vel Assist, Adaptive Cruise Control e Assist, Exit Assist, Exit Warning, sist, Traffic Sign Recognition and Lane lane central guidance and heated	-	_	0	0

Safety	Reference	Style	Xcellence	FR
Public emergency call (eCall) ¹⁰	0	0	0	0
Alarm with safe function	0	0	0	0
Exterior				
Exterior mirror in body colour	•	٠	•	٠
Rear spoiler	•	٠	•	٠
Panoramic sunroof with spoiler ¹¹	-	0	0	0
Sports bumpers	-	-	-	٠
Heat-insulating windshield glass	•	٠	•	٠
Rear tinted windows	_	0	•	٠
Black roof rails	•	٠	-	٠
Chromed Pack: Bright window frames and bright roof rails	-	0	•	0
Glossy Black Pack: Glossy black roof rails and black decorative trims	-	-	-	0
Breakdown kit	•	٠	•	٠
Tire pressure monitoring system	•	٠	•	•
All season tires 205/55 R16 94V xl	0	0	-	-
All season tires 16"	-	0	-	-
All season tires 16" with Urban 16" steel wheel ¹²	0	-	-	-
All season tires 16" with Design 16" alloy wheels ¹³	0	-	-	-
Urban 15" steel wheels	•	-	-	-
Urban 16" 30/1 steel wheels14	0	-	-	-
Urban 16" 30/2 alloy wheels	0	٠	-	-
Dynamic 17" 30/3 alloy wheels ¹⁵	-	0	-	-
Dynamic 17" alloy wheels	-	-	•	-
Dynamic 17" alloy wheels	-	-	-	٠
Performance 18" 30/4 Machined alloy wheels in Nuclear Grey ¹⁶	-	_	0	-
Performance 18" 30/6 Machined alloy wheels in Cosmo Grey ¹⁶	-	_	-	0
Performance 18" 30/9 Machined alloy wheels in Cosmo Grey ¹⁷	-	_	-	0
Performance 18" 30/8 Machined alloy wheels in Nuclear Grey ¹⁸	-	-	0	-

Standard

- O Optional
- Not available
- ¹⁹ Includes wheel bolts with anti-theft protection. Not available for DG8 MQ engine.
- ²⁰ Optional only for engines until 110 kW. Not available with DG8 MQ engines.
- ²¹ Not available for e-HYBRID and TGI engines. Not compatible with PBB.
- ²² Not compatible with towing hook from factory (PGR) and neither with panoramic sunroof (PTC) in combination with e-HYBRID engines. Not available for TGI and DG1 engines.
- ²³ Not compatible with towing hook preparation (PRP) or with panoramic sunroof (PTC) in combination with e-HYBRID engines. Not available for TGI or DG1 engines.
- ²⁴ Four handholds.
- ²⁵ Not available with Storage Pack (PST) or foldable heated exterior mirrors (PFB). Requires SEAT Full LED (PXX).
- ²⁶ Available from w.45, 2020. Includes Winter Pack. Not available with Storage Pack (PST), foldable heated exterior mirrors (PFB) or door handle high on rear seats. Requires SEAT Full LED (PXX) and Side, Curtain/Knee and Central airbags (PA1/PA7).
- ²⁷ Only passenger seat for Reference.
- ²⁸ Only passenger seat for Style.
- ²⁹ With central armrest for Style, Xcellence and FR.
- ³⁰ Optional for Style within Style Comfort Pack.
- ³¹ Available from w.48, 2020 and only for e-HYBRID engines.
- ³² Not available with eTSI, TGI and e-HYBRID engines. Neither available with Leather and Dinamica electric seats. Requires Style Comfort for Style (P2A) and includes mats in center console storage area, cupholder and front armrest (if available).
- ³³ Standard for TGI & e-HYBRID engines.
- ³⁴ Available from w.48, 2020. Requires SEAT Digital Cockpit (PFK) and includes SEAT CONNECT (R3B) with Safety & Services and Remote Access. In case of combining this pack with Full Link, only available with PML.
- ³⁵ Requires Emergency spare wheel 18" (PG6) and Style Comfort (P2A) for Style eTSI engines. Not available for e-HYBRID nor TGI engines. Only available in combination with Navi System+ (ZN2) or Media System+ (ZB9). For eTSI engines includes double floor (5A5 and 3GN).

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Exterior	Reference	Style	Xcellence	FR
Performance 18" Machined aerowheels in Nuclear Grey ¹⁹	-	-	0	-
Performance 18" Machined aerowheels in Cosmo Grey ¹⁹	-	-	-	0
Performance 18" Machined alloy wheels with sporty tires ²⁰	_	-	0	0
Spare wheel 18" ²¹	0	0	0	0
Tool kit	•	٠	•	•
Tool kit and jack	0	0	0	0
Towing hook preparation ²²	0	0	0	0
Towing hook from factory ²³	0	0	0	0
Wheel bolts with unlockable anti-theft protection	0	0	0	0

Interior

Interior				
Multi-piece folding grab handles ²⁴	٠	•	•	•
Gearshift knob/handle in plastic	٠	_	_	-
Gearshift knob/handle in leather	-	•	•	•
Grey greenhouse	٠	٠	•	•
Black greenhouse	-	_	0	0
Cloth comfort seats	٠	•	•	•
Dinamica sport seats ²⁵	-	0	0	0
Leather Black sport seats ²⁶	-	0	0	0
Steering wheel with trim pin	-	_	•	•
Multi-functional sport leather steering wheel	-	•	•	•
Manual height adjustment for front seats ²⁷	٠	•	•	•
Manual lumbar support adjustment for front seats ²⁸	-	•	•	•
Drawer under left front seat	-	•	•	•
Luggage pockets on backrest	-	•	•	•
Unsplit rear seat bench, split folding backrest ²⁹	٠	•	•	•
Comfort luggage compartment	٠	•	•	•
Interior chrome inserts	-	•	•	•
Illuminated door step	-	_	•	•
Sun visors with illuminated mirror	-	•	•	•

Interior

interio	or in the second s
	rs with tic side anc
Dimming	g breakav
1 zone Cl	limatronio
3 zone C	limatroni
One rea	ding light
Two read	ding lights
Operatir	ng voltage
Alternate	or 140 A
230 V so	cket in b
Mode 3	charging
SEAT Ch	arger
SEAT Ch	arger Pro
SEAT Ch	arger Co
Transpor	t protect
Drawer under le	e Pack³²: under the eft front se der, front o

double floor in bo with storage com

Electronics

Instrument clust
External USB wit
Antenna for FM ı
SEAT Digital Cod
SEAT Media Sys
SEAT Media Sys
Multi-functional
Mobile phone in
4 speakers (pas
6 speakers (pas
BeatsAudio™ s
0 promium cho

Interior	Reference	Style	Xcellence	FR
Sun visors with ticket pocket on driver side and airbag label	•	-	_	-
Dimming breakaway interior rearview mirror	•	٠	_	•
1 zone Climatronic	•	•	_	-
3 zone Climatronic ³⁰	_	0	•	•
One reading light in front	•	٠	_	-
Two reading lights in front and two in rear	_	٠	•	•
Operating voltage 12 V	•	•	•	•
Alternator 140 A	•	•	•	•
230 V socket in boot	0	0	0	0
Mode 3 charging cable for e-HYBRID ³¹	_	-	0	0
SEAT Charger	_	-	0	0
SEAT Charger Pro	_	-	0	0
SEAT Charger Connect	_	-	0	0
Transport protection film	0	0	0	0
Storage Pack ³² : Drawer under the right front seat, document holder under left front seat, decorative inserts for console, cupholder, front armrest, horitzontal net in boot, double floor in boot and luggage compartment trim with storage compartments	-	0	0	0
Electronics				
Instrument cluster with km/h speedometer	•	•	•	•
External USB with socket front	•	•	-	-
Antenna for FM reception only	•	•	•	•
SEAT Digital Cockpit ³³	_	0	•	•
SEAT Media System+ 8.25"	•	•	•	•
SEAT Media System+ 10" ³⁴	0	0	0	0
Multi-functional medium display computer	•	٠	-	_
Mobile phone interface	-	•	٠	•
4 speakers (passive)	•	-	-	-
6 speakers (passive)	-	٠	•	•
BeatsAudio™ sound system³5: 9 premium speakers, a subwoofer box, a 340W amplifier and surround technology	_	0	0	0

-		
•	Standard	

- Optional
- Not available
- ³⁶ Requires Rear Parking Sensor (PAK) or Park Assist + PLA (PK5).
- ³⁷ Not available for e-HYBRID, TGI, DG1 and DG8 (MQ) engines.
- ³⁸ Only available where Front Assist available.
- ³⁹ Reference requires Reference Pack (W1A). Not compatible with ZN2 and PMK.
- ⁴⁰ Reference requires Reference Pack (W1A). Not compatible with ZN2 and PMK. SOP w.48,2020.
- ⁴¹ Requires ZN2. Not compatible with PML and PMQ.
 ⁴² Requires SEAT Digital Cockpit (PFK), Cartography (PZ4)
- ** Requires SEAT Digital Cockpit (PKA), Cartography (P24) and includes SEAT CONNECT (R3C or R3D) with Safety & Services, Remote Access and Online Infotainment. Standard for e-HYBRID engines.
- ⁴³ Standard for e-HYBRID engines.
- ⁴⁴ Includes private Emergency Call, Safety Services for 10 years, Remote Access for 1 year and Online Infotainment for 1 year (renewals needed after). Not compatible with SEAT CONNECT for Media System+ (R3B) and eCall (REC). Requires Navi System+ (ZN2).
- ⁴⁵ Includes private Emergency Call, Safety Services for 10 years and Remote Access for 1 year (renewals needed after). Not compatible with SEAT CONNECT for Navi System+ (R3C) and eCall (REC).
- ⁴⁶ Without Safelock.
- ⁴⁷ Requires alarm.
- ⁴⁸ Only available for Style in combination with leather seats with memory feature (WL1/WL3), Requires SEAT Full LED (PXX).
- ⁴⁹ Requires Safe and NCAP Pack (WSF).
- ⁵⁰ Includes Air Quality Sensor (AQS), AirCare, Climates and Climate Achieved functions (Climate Achieve function will be available from w.48, 2020).
- ⁵¹ Not available with Leather electric seats.
- ⁵² Only available for DQ9, DS9, DN4, D81 and ML7 engines. Not available for TGI engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Electronics	Reference	Style	Xcellence	FR
Interior Smart Wrapearound	_	-	_	•
LED Interior Ambient Light with Smart Wraparound	_	-	0	0
Interior Ambient Lighting	_	-	•	-
Rear View Camera ³⁶	_	0	0	0
Park Assist	_	0	0	0
Parking heater ³⁷	_	0	0	0
Pre-crash Assist ³⁸	_	0	0	0
Connectivity Box: Wireless charger and mobile signal amplifier	_	0	0	0
Full Link via cable for Media System+ ³⁹	0	0	0	0
Full Link via wifi for Media System+ 8,25"40	0	0	0	0
Wireless Full Link for Navi System+ with Media Control ⁴¹	-	0	0	0
Navi System+ ⁴² : Options in infotainment (MIB3), voice control and wireless RSE "App"	-	0	0	0
Cartography for Europe with Mapcare43	-	0	0	0
SEAT CONNECT with Navi System+44	-	٠	•	•
SEAT CONNECT with Media System+45	•	٠	•	•
Rear parking sensor with park distance control	-	0	•	•
Electronic Cruise Control system (CCS)	-	٠	•	•
Central locking system Keyless Go ⁴⁶	•	٠	-	•
Keyless Advanced ⁴⁶	-	0	•	0
Keyless Advanced with Safe ⁴⁷	-	0	0	0
Tailgate lid unlocking from outside	•	٠	•	•
Electronic parking brake	•	٠	•	•
Electronic differential lock XDS with dynamic traction support	٠	٠	•	٠
Brake control system for vehicles without electric drive (ESC and electromechanical brake booster)	•	٠	٠	•
Electronic immobilizer	٠	٠	•	•
Speed-related variable steering assist (Servotronic)	•	٠	•	•
Power-adjustable exterior mirrors	•	-	-	-
Power-adjustable heated exterior mirror	0	٠	-	-
Foldable heated exterior mirrors with front passanger lowering function	-	0	•	•

Electronics

Foldable heated with memory fur
Windshield wiper control with pote
Heat-insulating s
Power windows v operation and cir
Single-tone horn
Two-tone horn
Headlight range
Eco LED headlan
Full LED rear lam
LED fog lamps w
Separate daytim with automatic h
I FD Lot and a seller

LED Interior Illum Front and rear rea boot and glove bo LED Interior Illum

Front LED lights in box area LED illum

Full LED with auto LED Headlamp, Fulight and Welcome

Reference Pack⁴ Multi-funcional sp mobile phone inte in leather, Cruise (

Style Comfort Pa Center armrest in and rear and 3-zo control panel in re

Winter Pack⁵1: Heated front seats

Convenience Pac Auto-dimming Ligh and Leaving Home control and break

Dynamic and Comfort Pack⁵²: SEAT Drive Profile, Dynamic Chassis Control, Progressive steering, Sport HMI, disc brakes and shock absorption in front

	Reference	Style	Xcellence	FR
exterior mirrors ction ⁴⁸	-	0	_	-
intermittent ntiometer (four speeds)	•	٠	-	•
ide and rear windows glass	•	٠	_	-
vith comfort cuit breaker	•	٠	•	•
	٠	٠	-	-
	-	٠	•	•
control	•	•	•	•
nps	•	٠	•	•
p (Infinite Light)	•	•	•	•
th cornering function	0	0	•	•
e running light eadlight control	•	•	-	•
mination Pack: eading lights, sunvisor, pox in LED	-	٠	-	-
mination Pack : in footwell and conectivity imination	-	0	-	-
tomatic headlight adjustment: Full LED rear lamps with dynamic ne Light	-	0	0	0
49: port leather steering wheel, terface, gearshift knob/handle control system and speed limiter	0	_	-	-
Pack: n front, external USB in socket front zone Climatronic with air conditioning rear ⁵⁰	-	0	•	٠
ts, wash water and steering wheel	-	0	0	0
ack: ght and Rain Sensor with Coming ne, windshield wiper intermittent Ikaway interior rearview mirror	_	0	•	0
omfort Pack⁵²: e, Dynamic Chassis Control, ring, Sport HMI, disc brakes	_	_	0	0

Accessories.

Customisation	
Rear spoiler in Cosmo Grey	5FA071640 GRU*
Side skirts in Cosmo Grey	5FA071685 GRU*
Rear diffuser in Cosmo Grey	5FA071611A 67E*
Rear spoiler in Carbon fibre	5FA071606*
Exterior mirrors in Carbon fibre	5FA072530*
Rear spoiler in body colour	5FA071640 GRU*
Side skirts in body colour	5FA071685 GRU*
Front moulding in matt chrome	5FA071005
Rear diffuser in matt chrome	5FA071611A 3Q7*
Pedals (manual)	5FA064200 3Q7*
Pedals (automatic)	5FA064205 3Q7*
Footrest	5FA071750 3Q7*

Transport

000071120HA
000071129S
000071129T
000071129R
000071200T
000071200AB
000071180A
000071200AG
5FA071151
000071156C
5FA092160A
5FA055204
5F9071128
000071128G
000071128H
000071128J
000071223

Interior

Inox side sills
Foil side sills
Chrome-plated
Multi-hanger

Protection

Floor mats serie Floor mats serie (Floor mats serie I Floor mats serie I Classic floor mat Classic floor mat Classic floor mat Classic floor mat TPE Tuffting floor Custom floor mat Rubber floor mat Rubber floor mat Rear bumper pro Rear bumper pro Semi rigid boot tr Foam boot tray High walls boot t Reversible boot r Key cover FR Key cover XC Key cover Leathe Front mudflaps Rear mudflaps Car cover Protective seat c

* Accessories available from the first quarter of 2021.

	5FA071691A
	5FA071310
hanger	000061127E
-	000061127D
	5FB863011 LOE
(right hand drive vehicles)	5FC863011 LOE
MHEV	5FB863011C LOE
MHEV (right hand drive vehicles)	5FC863011C LOE
its FR	5FB863011B LOE
its FR (right hand drive vehicles)	5FC863011B LOE
its XC	5FB863011A LOE
its XC (right hand drive vehicles)	5FC863011A LOE
or mats	5FB061675A 041
ats	5FB061675 041
its	5FB061500 041
ats (right hand drive vehicles)	5FC061500 041
otective foil	5FA071363
otective moulding	5FA061155
tray	5FA061201B
	5FA061201
tray	5FA061201C
mat	5FA061201A
	5FA087013B
	5FA087013A
er	5FA087013
	5FA075111
	5FA075101
	5FA061701
cover for dogs	000061609C

Infotainment	
Parrot® MiniKit Neo 2 HD - BLACK	
Start 62 EU 45	

Parrot® MiniKit Neo 2 HD - BLACK	000051473AE041
Start 62 EU 45	000051818CE
GO 520 EU 45	000051818CJ
GO 620 EU 45	000051818CK
GO 5200 EU 45	000051818CL
GO 6200 EU 45	000051818CM
Universal magnetic mount	000051991K
Tetrax XWAY	000096320GMAAA
Tetrax SMART	000096320GMAAB
Tetrax FIX	000096320GMAAC
SEAT Full Link	5F0054830
Navlet 10i Full Hd Tablet + Support	000051232R
USB to Type C adapter	000051444AP
Charging cable 3 in 1	000051444AM
Inductive charger	000051763Q
Universal smartphone support	000061129F

<u>Security</u>

ISOFIX Duo Plus	000019909G
SEAT PEKE G11-Size Trifix	000019909F
SEAT PEKE Peke GO I-Size	000019907A
Base ISOFIX PEKE G0 i-Size	000019230L
ISOFIX Baby-safe Plus SHR II	000019907B
Base ISOFIX Peke for Baby-safe Plus SHR II	000019230C
KIDFIX XP safety seat	000019906M
Safety Dog Harness - Size XL	000084310B
Safety Dog Harness - Size L	000084310C
Safety Dog Harness - Size M	000084310D
Safety Dog Harness - Size S	000084310E
CB alarm for klaxon	000054600
SAMART safety pack	000093996C
9,900 mAh battery jump starter	000051763F
20,000 mAh battery jump starter + charger	000051763H
Lamp box H1 + H3 + H8	000052001B
H1 Xenon bulb + 90%	000052001M
H3 Xenon bulb + 90%	000052003M
H4 lamp box	000052004C
H4 Xenon bulb + 90%	000052004M
H7 lamp box.	000052007B
H7 Xenon bulb + 90%	000052007M
C5W 41mm LED	000052010B
T4W LED	000052010C
C5W 36 mm LED	000052010D
W5W LED	000052010E
Beeper parking sensor	000054752D
Folding shovel	000069704A
Smart tracker key finder	000087013BB
Warning triangle	000093056A - 000093600B
Safety reflective vest	000093056J
Emergency triangle pack	000093600C

Se	CU	rit	v

Security	
Fluorescent vest	000093900ID - 000093900SA - 000093901ID
Safety Pack (triangles + vest)	000093990R
Seat belt Top Tether	3R0019900
Triangle fastening support	6K0860265
Kaza live alert smartwatch	000054635E
Additional interior mirror	000084418A
Help Flash	000052122A
Seat belt pad	000069629B
Automatic puncture kit	000093059AE
Current converter 300W	000063828
Rear baby mirror	000072549C

<u>Maintenance</u>

Muiiice	
First-aid kit	6L0093000
Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300 ml concentrated shampoo	000096320GFAAB
300 ml windscreen wash	000096320GFAAD
Summer maintenance kit	000096354B
Winter maintenance Kit	000071980BPADA
Maintenance kit	000071980CL
Insilver Passion refill air freshener	000091500E
Mixt fruit refill air freshener	000091500FM
Red fruits refill air freshener	000091500FR
Mild herbs air freshener refill	000091500HS
Alize aroma air freshener	000091500L
Calima aroma air freshener	000091500M
Fresh mint refill air freshener	000091500MC
Mistral aroma air freshener	000091500N
Sirocco aroma air freshener	000091500P
Zephyros aroma air freshener	000091500Q

Child car seats

SEAT PEKE Pek
ISOFIX Baby-se
SEAT PEKE G1 I
ISOFIX Duo Plu
Child safety Ki

ıts	Age (approximate)
e G0 I-Size Plus	Up to 15 months
afe Plus SHR II	Up to 15 months
-Size Trifix	9 months to 4 years
IS	9 months to 4 years
dfix XP	4 to 12 years

Accessories.

Rear spoiler in Cosmo Grey 5F	E071640 GRU* A071685 GRU*
Side skirts in Cosmo Grey 5F	AU/1065 GRU
Exterior mirrors in Carbon fibre 5F	A072530*
Rear spoiler in body colour 5F	E071640 GRU*
Side skirts in body colour 5F	A071685 GRU*
Front moulding in matt chrome 5F	A071005
Rear diffuser in matt chrome 5F	E071611 3Q7*
Pedals (manual) 5F	A064200 3Q7*
Pedals (automatic) 5F	A064205 3Q7*
Footrest 5F	A071750 3Q7*

Transport

Surfrack	000071120HA
Ski rack for 4 pairs or 2 snowboards	000071129S
Ski rack for 6 pairs or 4 snowboards	000071129T
Ski rack xtender	000071129R
Roof box - 400l	000071200T
Roof box - 420l	000071200AB
Roof box - 450l	000071180A
Roof box - 460l	000071200AG
Roof Bars	5FE071151
Bag for SEAT roof bars	000071156C
Tow bar	5FA092160A
Electric kit (w/o prewiring)	5FA055204
Bike rack	5F9071128
Towing Bike Rack	000071128G
Towing bracket bicycle carrier	000071128H
Bicycle rack extension kit	000071128J
Load-Stop rack	000071223

Interior

Inox side sills
Foil side sills
Chrome-plated
Multi-hanger

Protection

Floor mats serie Floor mats serie (Floor mats serie I Floor mats serie I Classic floor mat Classic floor mat Classic floor mat Classic floor mat TPE Tuffting floor Custom floor ma Rubber floor mat Rubber floor mat Rear bumper pro Rear bumper pro Semi rigid boot t Foam boot tray High walls boot t Reversible boot r Key cover FR Key cover XC Key cover Leathe Front mudflaps Rear mudflaps Car cover Protective seat c Separation grille

* Accessories available from the first quarter of 2021.

	5FA071691A
	5FA071310
hanger	000061127E
-	000061127D
	5FB863011 LOE
(right hand drive vehicles)	5FC863011 LOE
MHEV	5FB863011C LOE
MHEV (right hand drive vehicles)	5FC863011C LOE
its FR	5FB863011B LOE
its FR (right hand drive vehicles)	5FC863011B LOE
its XC	5FB863011A LOE
its XC (right hand drive vehicles)	5FC863011A LOE
or mats	5FB061675A 041
ats	5FB061675 041
ats	5FB061500 041
ats (right hand drive vehicles)	5FC061500 041
otective foil	5FA071363
otective moulding	5FE061155
tray	5FE061201B
	5FE061201
tray	5FE061201C
mat	5FE061201A
	5FA087013B
	5FA087013A
er	5FA087013
	5FA075111
	5FE075101
	5FE061701
cover for dogs	000061609C
e	5FE017221*

	-	•		-
Int	otc	ıını	me	nt

Infotainment		
Parrot® MiniKit Neo 2 HD - BLACK	000051473AE041	
Start 62 EU 45	000051818CE	
GO 520 EU 45	000051818CJ	
GO 620 EU 45	000051818CK	
GO 5200 EU 45	000051818CL	
GO 6200 EU 45	000051818CM	
Universal magnetic mount	000051991K	
Tetrax XWAY	000096320GMAAA	
Tetrax SMART	000096320GMAAB	
Inductive charger	000051763Q	
Tetrax FIX	000096320GMAAC	
SEAT Full Link	5F0054830	
Navlet 10i Full Hd Tablet + Support	000051232R	
USB to Type C adapter	000051444AP	
Charging cable 3 in 1	000051444AM	
Universal smartphone support	000061129F	

Security	
ISOFIX Duo Plus	000019909G
SEAT PEKE G1 I-Size Trifix	000019909F
SEAT PEKE Peke GO I-Size	000019907A
Base ISOFIX PEKE GO i-Size	000019230L
ISOFIX Baby-safe Plus SHR II	000019907B
Base ISOFIX Peke for Baby-safe Plus SHR II	000019230C
KIDFIX XP safety seat	000019906M
Safety Dog Harness - Size XL	000084310B
Safety Dog Harness - Size L	000084310C
Safety Dog Harness - Size M	000084310D
Safety Dog Harness - Size S	000084310E
CB alarm for klaxon	000054600
SAMART safety pack	000093996C
9,900 mAh battery jump starter	000051763F
20,000 mAh battery jump starter + charger	000051763H
Lamp box H1 + H3 + H8	000052001B
H1 Xenon bulb + 90%	000052001M
H3 Xenon bulb + 90%	000052003M
H4 lamp box	000052004C
H4 Xenon bulb + 90%	000052004M
H7 lamp box.	000052007B
H7 Xenon bulb + 90%	000052007M
C5W 41mm LED	000052010B
T4W LED	000052010C
C5W 36 mm LED	000052010D
W5W LED	000052010E
Beeper parking sensor	000054752D
Folding shovel	000069704A
Smart tracker key finder	000087013BB
Warning triangle	000093056A - 000093600B
Safety reflective vest	000093056J
Emergency triangle pack	000093600C

Fluorescent vest	000093900ID - 000093900SA - 000093901ID
Travel pack - LongLife III 5W-30 Castrol EDGE Professional	000093990AL
Travel pack - OriLHDnal LongLife III 5W-31	000093990AM
Safety Pack (triangles + vest)	000093990R
Seat belt Top Tether	3R0019900
Triangle fastening support	6K0860265
Kaza live alert smartwatch	000054635E
Additional interior mirror	000084418A
Help Flash	000052122A
Seat belt pad	000069629B
Automatic puncture kit	000093059AE
Current converter 300W	000063828
Rear baby mirror	000072549C
First-aid kit Insect remover	6L0093000 000096320FRABH
Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300 ml concentrated shampoo	000096320GFAAB
300 ml windscreen wash	000096320GFAAD
Summer maintenance kit	000096354B
Winter maintenance Kit	000071980BPADA
Maintenance kit	000071980CL
Insilver Passion refill air freshener	000091500E
Mixt fruit refill air freshener	000091500FM
Red fruits refill air freshener	000091500FR
Mild herbs air freshener refill	000091500HS
Alize aroma air freshener	000091500L
Calima aroma air freshener	000091500M
Fresh mint refill air freshener	000091500MC
Mistral aroma air freshener	000091500N
Sirocco aroma air freshener	000091500P
Zephyros aroma air freshener	000091500Q

Child car sea

SEAT PEKE Pek
ISOFIX Baby-se
SEAT PEKE G1 I
ISOFIX Duo Plu
Child safety Ki

eats	Age (approximate)
e G0 I-Size Plus	Up to 15 months
afe Plus SHR II	Up to 15 months
-Size Trifix	9 months to 4 years
S	9 months to 4 years
dfix XP	4 to 12 years

The dat
is provis

Engine	1.0 TSI 90 HP (66 kW) Man-5	1.0 TSI 110 HP (81 kW) Man-6	1.0 eTSI 110 HP (81 kW) DSG - 7
Cylinder/Valve (total)	3/12	3/12	3/12
Displacement (cc)	999	999	999
Cylinder bore and stroke (mm)	74.5/76.4	74.5/76.4	74.5/76.4
Compression ratio	11.5	11.5	11.5
Maximum power (kW (HP)/rpm)	66 (90)/5,500	81 (110)/5,500	81 (110) /5,500
Maximum torque (Nm/rpm)	175/1,600-3,000	200/2,000 - 3,000	200/2,000 - 3,000
Fuel supply system	TSI Direct Injection	TSI Direct Injection	TSI Direct Injection
Ignition	Electronic map-controlled ignition		
Atmospheric/Supercharged	Turbo charged	Turbo charged	Turbo charged
Fuel type	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill [1]	4.3	4.3	4.3
Emission control			
Alternator (A)	140 ME	140 ME	
Battery (Ah/A)	59 - 68-70/320 - 380 - 420	59 - 68 - 70/320 - 380 - 420	59-68-70/320-380-420
Performance			
Maximum speed (km/h)	183 (IV)	197 (V)	192 (VI)
Acceleration 0-80 km/h (s)	8.1	7.2	7.3
Acceleration 0-100 km/h (s)	12.6	10.9	10.8
Acceleration 80-120 km/h (s)	12	12	13.1
Acceleration 1000 m (s)	34.4	32.6	32.7
Fuel consumption			
Urban (l/100 km)	_	_	
Extra urban (l/100 km)		_	_
Combined (l/100 km)	_	_	_
CO2 mass emission			
CO2 Urban (g/km)	_	_	_
CO2 Extra Urban (g/km)	-	-	-
CO ₂ Combined (g/km)			

Wheels

Rims

Tyres

_

Dimensions

Body type Length/width/heigh Wheelbase [mm] Wheelbase FR [mm] Track front/rear [mm] Track front/rear FR Boot capacity [l]

Fuel tank capacity (

Weights

In running order with In running order with Maximum weight all Maximum towing we Maximum towing we

Maximum towing we

	1.0 TSI 90 HP (66 kW) Man-5	1.0 TSI 110 HP (81 kW) Man-6	1.0 eTSI 110 HP (81 kW) DSG - 7
	Independent McPherson type, coil springs and	d hydraulic shock absorber	
	Semirigid axle, coil springs and hydraulic shoc	k absorber	
	R-EPS (Rack Electric Power System)		
(m)	10.5/11.2 (between walls)		
	Dual hydraulic circuit and brake system diago	nal split with electric brake booster	
type	Front ventilated disc brakes and rear solid disc	c brakes	
]	276×24	276×24	288×25
	272×10	272×10	272×10
	6J×15 ET43 - 6.5J×16 ET46 7J×16 ET43 - 7.5J×17 ET46	6J×15 ET43 - 6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46
	195/65 R15 91H 205/55 R16 91V - 225/45 R17 91W	195/65 R15 91H - 205/55 R16 91V 225/45 R17 91W - 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y
	5D	5D	5D
ht (mm)	4,368/1,799/1,456	4,368/1,799/1,456	4,368/1,799/1,456
ht FR (mm)	4,368/1,799/1,442	4,368/1,799/1,442	4,368/1,799/1,442
	2686	2686	2686
m)	2684	2684	2684
im)	ET 43 1550/1520	ET 43 1550/1520	ET 43 1550/1520
R (mm)	ET 46 1544/1514	ET 46 1544/1514	ET 46 1544/1514
	380	380	380
(l)	45	45	45
ith driver (kg)	1,275	1.279	1,330
ith driver (kg) Front/Rear	764/511	770/509	809/521
allowed (kg)	1,750	1,750	1.860
weight without brake (kg)	630	630	660
weight w/brake 8% (kg)	1.300	1,500	1.500
weight w/brake 12% (kg)	1,100	1,300	1,300

The dat	3
is provi	5

Engine	1.5 TSI 130 HP (96 kW) Man-6	1.5 TSI 150 HP (110 kW) Man-6	1.5 eTSI 150 HP (110 kW) DSG-7
Cylinder/Valve (total)	4/16	4/16	4/16
Displacement (cc)	1,498	1,498	1,498
Cylinder bore and stroke (mm)	74.5/85.9	74.5/85.9	74.5/85.9
Compression ratio	12.5	10.5	10.5
Maximum power (kW (HP)/rpm)	96 (130)/5,000 - 6,000	110 (150)/5,000 - 6,000	110 (150)/5,000 - 6,000
Maximum torque (Nm/rpm)	200/1,400 - 4,000	250/1,500 - 3,500	250/1,500 - 3,500
Fuel supply system	TSI Direct Injection	TSI Direct Injection	TSI Direct Injection
Ignition	Electronic map-controlled ignition		
Atmospheric/Supercharged	Turbo charged	Turbo charged	Turbo charged
Fuel type	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill [1]	4.8	4.8	4.8
Emission control			
Alternator (A)	140 ME	140 ME	140 ME
Battery (Ah/A)	59 - 68 - 70/320 - 380 - 420	59 - 68 - 70/320 - 380 - 420	59 - 68 - 70/320 - 380 - 420
Performance			
Maximum speed (km/h)	208 (V)	217 (V)	217 (VI)
Acceleration 0-80 km/h (s)	6.3	6.1	6.0
Acceleration 0-100 km/h (s)	9.4	8.7	8.5
Acceleration 80-120 km/h (s)	11.9	10.6	11.3
Acceleration 1000 m (s)	31.1	29.9	29.7
Fuel consumption			
Urban (l/100 km)	_	_	_
Extra urban (l/100 km)	_	_	_
Combined (l/100 km)	-	-	-
CO2 mass emission			
CO2 Urban (g/km)	_	_	_
CO2 Extra Urban (g/km)	<u> </u>	_	_
CO ₂ Combined (g/km)			

Wheels

Dimensions

Weights

Chassis	1.5 TSI 130 HP (96 kW) Man-6	1.5 TSI 150 HP (110 kW) Man-6	1.5 eTSI 150 HP (110 kW) DSG-7
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber		
Rear suspension	Semirigid axle, coil springs and hydraulic shoc	k absorber	
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake system diagor	nal split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear solid disc	brakes	
Front brakes (mm)	288×25	288×25	288×25
Rear brakes (mm)	272×10	272×10	272×10
Wheels			
Rims	6.5.J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46
Tyres	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y
Dimensions			
Body type	5D	5D	5D
Length/width/height (mm)	4,368/1,799/1,456	4,368/1,799/1,456	4,368/1,799/1,456
Length/width/height FR (mm)	4,368/1,799/1,442	4,368/1,799/1,442	4,368/1,799/1,442
Wheelbase (mm)	2686	2686	2686
Wheelbase FR (mm)	2684	2684	2684
Track front/rear (mm)	ET 43 1550/1520	ET 43 1550/1520	ET 43 1550/1520
Track front/rear FR (mm)	ET 46 1544/1514	ET 46 1544/1514	ET 46 1544/1514
Boot capacity (l)	380	380	380
Fuel tank capacity (l)	45	45	45
Weights			
n running order with driver (kg)	1,318	1,330	1,361
n running order with driver (kg) Front/Rear	798/520	812/518	839/522
Naximum weight allowed (kg)	1,860	1,870	1,900
Naximum towing weight without brake (kg)	650	660	680
Maximum towing weight w/brake 8% (kg)	1,700	1,700	1,700
Maximum towing weight w/brake 12% (kg)	1,400	1,500	1,500

SE

T	1e (da	t
is	pro	DV	5

Engine	2.0 TDI evo 115 HP (85 kW) Man-6	2.0 TDI evo 150 HP (110 kW) DSG-7	1.5 TGI 130 HP (96 kW) DSG-71
Cylinder/Valve (total)	4/16	4/16	4/16
Displacement (cc)	1,968	1,968	1,498
Cylinder bore and stroke (mm)	81.0/95.5	81.0/95.5	74.5/85.9
Compression ratio	16	16	12.5
Maximum power (kW (HP)/rpm)	85 (115)/2,750 - 4,250	110 (150)/3,000 - 4,200	96 (130)/5,000 - 6,000
Maximum torque (Nm/rpm)	300/1,600 - 2,500	360/1,600 - 2,750	200/1,400 - 4,000
Fuel supply system	Direct Injection: Common Rail	Direct Injection: Common Rail	TSI Direct Injection
Ignition	Compressed ignition		Electronic map-controlled ignition
Atmospheric/Supercharged	Turbo charged	Turbo charged	Turbo charged
Fuel type	Diesel	Diesel	CNG/ROZ 95
Oil capacity in initial fill (I)	5.0	5.0	4.8
Emission control	-	-	-
Alternator (A)	140 ME	140 ME	140ME
Battery (Ah/A)	68 - 70/380 - 420	68 - 70/380 - 420	59-68-70/320-380-420
Performance			
Maximum speed (km/h)	200 (V)	215 (VI)	203 (V)
Acceleration 0-80 km/h (s)	6.7	5.9	6.6
Acceleration 0-100 km/h (s)	10.2	8.5	9.6
Acceleration 80-120 km/h (s)	11.0	9.3	13.1
Acceleration 1000 m (s)	32.1	29.9	31.3
Fuel consumption			
Urban (l/100 km)	-	-	
Extra urban (l/100 km)	_	_	
Combined (l/100 km)	-	-	-
CO2 mass emission			
CO₂ Urban (g/km)	_	_	
CO2 Extra Urban (g/km)	_	_	
CO2 Combined (g/km)	-	_	-

Wheels

Dimensions

Fuel tank capacity (Weights

Chassis	2.0 TDI evo 115 HP (85 kW) Man-6	2.0 TDI evo 150 HP (110 kW) DSG-7	1.5 TGI 130 HP (96 kW) DSG-71
Front suspension	Independent McPherson type, coil springs and h	nydraulic shock absorber	
Rear suspension	Semirigid axle, coil springs and hydraulic shock	absorber	
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake system diagond	Il split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear solid disc b	prakes	
Front brakes (mm)	288×25 (DCC 312×25)	288×25 (DCC 312×25)	288×25
Rear brakes (mm)	272×10	272×10	272×10
Wheels			
Rims	6J×15 ET43 - 6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5.Jx16 ET46 - 7Jx16 ET43 7.5Jx17 ET46 - 7.5Jx18 ET46
Tyres	195/65 R15 91H - 205/55 R16 91V 225/45 R17 91W - 225/40 R18 92Y	205/55 R16 91V 225/45 R17 91W - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50 R17 93V - 225/40 R18 92Y
Dimensions			
Body type	5D	5D	5D
Length/width/height (mm)	4,368/1,799/1,456	4,368/1,799/1,456	4,368/1,799/1,456
Length/width/height FR (mm)	4,368/1,799/1,442	4,368/1,799/1,442	4,368 / 1,799/1,442
Wheelbase (mm)	2686	2686	2686
Wheelbase FR (mm)	2684	2684	2684
Track front/rear (mm)	ET 43 1550/1520	ET 43 1550/1520	ET 43 1550/1520
Track front/rear FR (mm)	ET 46 1544/1514	ET 46 1544/1514	ET 46 1544/1514
Boot capacity (l)	380	380	380
Fuel tank capacity (l)	45	45	45
Weights			
In running order with driver (kg)	1,415	1,448	1,411
In running order with driver (kg) Front/Rear	888/527	921/527	822/589
Maximum weight allowed (kg)	1,950	1,980	1,890
Maximum towing weight without brake (kg)	700	720	-
Maximum towing weight w/brake 8% (kg)	1,800	1,800	-
Maximum towing weight w/brake 12% (kg)	1,500	1,600	-

Engine	1.4 e-HYBRID 204 HP (110-150 kW) DSG-6
Cylinder/Valve (total)	4/16
Displacement (cc)	1,395
Cylinder bore and stroke (mm)	74.5/80
Compression ratio	10
Combined Maximum power (kW (HP)/rpm)	150 (204)/5,000-6,000
Combined Maximum torque (Nm/rpm)	350/1,550-3,500
Fuel supply system	TSI Direct Injection
Ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbo charged
Fuel type	ROZ 95
Oil capacity in initial fill (I)	4.5
Emission control	
Alternator (A)	
Battery (Ah/A)	59/320
Electric engine/charging system	
Maximum power (kW (PS))	85 (116)
Maximum torque (Nm)	330
Battery type	Li-ion
Battery capacity (kWh)	12.8
Charging time AC 2.3 kW 0-100% SoC	5h 48 min
Charging time AC 3.6 kW 0-100% SoC	3h 42 min
Combustion engine	
Maximum power (kW (HP)/rpm)	110 (150)/5,000 - 6,000
Maximum torque (Nm/rpm)	250/1,550 - 3,500
Performance	
Maximum speed (km/h)	220 (5.G)
Acceleration 0-80 km/h (s)	5.5
Acceleration 0-100 km/h (s)	7.5
Acceleration 80-120 km/h (s) at V. max. Gear	7.8
Acceleration 1000 m (s)	28.3

is provisional

Front suspension Rear suspension

Chassis

Steering System Turning diameter Brake system Front/Rear brake

Front brakes (mm) Rear brakes (mm)

Wheels

Rims Tyres -----

Dimensions

Body type Length/width/heig Wheelbase (mm) Track front/rear (m Boot capacity (l) Fuel tank capacity

Weights

In running order wi In running order wi Maximum weight a Maximum towing Maximum towing Maximum towing v

	1.4 e-HYBRID 204 HP (110-150 kW) DSG-6
n	Independent McPherson type, coil springs and hydraulic shock absorber
า	Miltilink axle, coil springs and hydraulic shock absorber
1	R-EPS (Rack Electric Power System)
er (m)	10.5/11.2 (between walls)
	Dual hydraulic circuit and brake system diagonal split with electric brake booster
e type	Front ventilated disc brakes and rear solid disc brakes
m)	312×25
n]	272×10
	7.5J×17 ET46 - 7.5J×18 ET46
	225/45 R17 - 225/40 R18
	5D e-HYBRID
eight (mm)	4,368/1,799/1,460
n)	2,682
(mm)	1,544/1,514
ι)	270
ity (l)	40
with driver (kg)	1,614
with driver (kg) Front/Rear	911/703
nt allowed (kg)	2,060
g weight without brake (kg)	750
g weight w/brake 8% [kg]	1,700
g weight w/brake 12% (kg)	1,500



Engine	1.0 TSI 90 HP (66 kW) Man-5	1.0 eTSI 110 HP (81 kW) DSG-7'	Chassis
Cylinder/Valve (total)	3/12	3/12	Front suspension
Displacement (cc)	999	999	Rear suspension
Cylinder bore and stroke (mm)	74.5/76.4	74.5/76.4	Steering System
Compression ratio	11.5	11.5	Turning diameter (m)
Maximum power (kW (HP)/rpm)	66 (90)/5,000 - 5,500	81 (110)/5,500	Brake system
Maximum torque (Nm/rpm)	175/1,600 - 3,000	200/2,000 - 3,000	Front/Rear brake type
Fuel supply system	TSI Directo Injection	TSI Directo Injection	Front brakes (mm)
Ignition	Electronic map-controlled ignition	Electronic map-controlled ignition	Rear brakes (mm)
Atmospheric/Supercharged	Turbo charged	Turbo charged	Wheels
Fuel type	ROZ 95	ROZ 95	Rims
Oil capacity in initial fill [1]	4.3	4.3	Tyres
Emission control	_	-	
Alternator (A)	140 ME	-	Dimensions
Battery (Ah/A)	59-68-70/320-380-420	59-68-70/320-380-420	Body type
Performance			Length/width/height
Maximum speed (km/h)	184 (IV)	199 (VI)	Length/width/height
Acceleration 0-80 km/h [s]	8.5	7.4	Wheelbase (mm)
Acceleration 0-100 km/h (s)	13.2	10.9	Wheelbase FR (mm)
Acceleration 80-120 km/h (s)	12.5	13	Track front/rear (mm)
Acceleration 1000 m (s)	34.9	32.8	Track front/rear FR (r Boot capacity (l)
Fuel consumption			Petrol tank capacity (I)
Urban [l/100 km]	_	_	Weights
Extra urban (l/100 km)	_	-	In running order with a
Combined (l/100 km)	_	-	In running order with a
			Maximum weight allo
CO2 mass emission			Maximum weight auto
CO ₂ Urban (g/km)	-	-	
CO ₂ Extra Urban (g/km)	-	-	Maximum towing weig
CO2 Combined (g/km)	-		Maximum towing weig

SE

⊵

 $(\cap$

Chassis	1.0 TSI 90 HP (66 kW) Man-5	1.0 eTSI 110 HP (81 kW) DSG-71
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber	
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber	
Steering System	R-EPS (Rack Electric Power System)	
Furning diameter (m)	10.5/11.2 (between walls)	
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes	
Front brakes (mm)	276×24	276×24
Rear brakes (mm)	272×10	272×10
Wheels		
Rims	6J×15 ET43 - 6.5J×16 ET46 - 7J×16 ET43 - 7.5J×17 ET46	6.5Jx16 ET46 - 7Jx16 ET43 - 7.5Jx17 ET46 - 7.5Jx18 ET46
[yres	195/65 R15 91H - 205/55 R16 91V - 225/45 R17 91W	205/55 R16 91V - 225/45 R17 91W - 205/50R17 93V - 225/40 R18 92Y
Dimensions		
Body type	5 SP	5 SP
.ength/width/height (mm)	4,642/1,799/1,450	4,642/1,799/1,450
.ength/width/height FR (mm)	4,642/1,799/1,437	4,642/1,799/1,437
Wheelbase (mm)	2,686	2,686
Wheelbase FR (mm)	2,684	2,684
Frack front/rear (mm)	ET 43 1,550/1,520	ET 43 1,550/1,520
Frack front/rear FR (mm)	ET 46 1,544/1,514	ET 46 1,544/1,514
Boot capacity [l]	1600	620
Petrol tank capacity (l)	45	45
Weights		
n running order with driver (kg)	1,324	1,373
n running order with driver (kg) Front/Rear	755/569	796 / 577
Maximum weight allowed (kg)	1,750	1,950
Maximum towing weight without brake (kg)	660	680
Maximum towing weight w/brake 8% (kg)	1,300	1,500
Maximum towing weight w/brake 12% (kg)	1,100	1,300

The dat	2
is provi	5

Engine	1.5 TSI 130 HP (96 kW) Man-6	1.5 TSI 150 HP (110 kW) Man-6	1.5 eTSI 150 HP (110 kW) DSG-7
Cylinder/Valve (total)	4/16	4/16	4/16
Displacement (cc)	1,498	1,498	1,498
Cylinder bore and stroke (mm)	74.5/85.9	74.5/85.9	74.5/85.9
Compression ratio	12.5	10.5	10.5
Maximum power (kW (HP)/rpm)	96 (130)/5,000 - 6,000	110 (150)/5,000 - 6,000	110 (150)/5,000 - 6,000
Maximum torque (Nm/rpm)	200/1,400 - 4,000	250/1,500 - 3,500	250/1,500 - 3,500
Fuel supply system	TSI Directo Injection	TSI Directo Injection	TSI Directo Injection
Ignition	Electronic map-controlled ignition		
Atmospheric/Supercharged	Turbo charged	Turbo charged	Turbo charged
Fuel type	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill [1]	4.8	4.8	4.8
Emission control			
Alternator (A)	140 ME	140 ME	
Battery (Ah/A)	59 - 68 - 70/320 - 380 - 420	59 - 68 - 70/320-380 - 420	
Performance			
Maximum speed (km/h)	209 (V)	218 (V)	218 (VI)
Acceleration 0-80 km/h (s)	6.6	6.2	6.2
Acceleration 0-100 km/h (s)	9.7	8.9	8.7
Acceleration 80-120 km/h (s)	12.	10.9	11.8
Acceleration 1000 m (s)	31.4	30.2	30.0
Fuel consumption			
Urban (l/100 km)	_	-	_
Extra urban (l/100 km)	_	_	_
Combined (l/100 km)	-	-	-
CO2 mass emission			
CO₂ Urban (g/km)	_	_	-
CO2 Extra Urban (g/km)	=	-	-

Wheels

Dimensions

Weights

Chassis	1.5 TSI 130 HP (96 kW) Man-6	1.5 TSI 150 HP (110 kW) Man-6	1.5 eTSI 150 HP (110 kW) DSG-7
Front suspension	Independent McPherson type, coil springs and	d hydraulic shock absorber	
Rear suspension	Semirigid axle, coil springs and hydraulic shoc	k absorber	
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake system diago	nal split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear solid disc	c brakes	
Front brakes (mm)	288×25	288×25	288×25
Rear brakes (mm)	272×10	272×10	272×10
Wheels			
Rims	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5 J×16 ET46 - 7J×16 ET43 7.5 J×17 ET46 - 7.5 J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46
Tyres	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y
Dimensions			
Body type	5 SP	5 SP	5 SP
Length/width/height (mm)	4,642/1,799/1,450	4,642/1,799/1,450	4,642/1,799/1,450
Length/width/height FR (mm)	4,642/1,799/1,437	4,642/1,799/1,437	4,642/1,799/1,437
Wheelbase (mm)	2,686	2,686	2,686
Wheelbase FR (mm)	2,684	2,684	2,684
Track front/rear (mm)	ET 43 1,550/1,520	ET 43 1,550/1,520	ET 43 1,550/1,520
Track front/rear FR (mm)	ET 46 1,544/1,514	ET 46 1,544/1,514	ET 46 1,544/1,514
Boot capacity (l)	1600	1600	1600
Petrol tank capacity (l)	45	45	45
Weights			
In running order with driver (kg)	1,362	1,374	1,41
In running order with driver (kg) Front/Rear	785/577	798/576	828/582
Maximum weight allowed (kg)	1,960	1,960	2
Maximum towing weight without brake (kg)	680	680	700
Maximum towing weight w/brake 8% (kg)	1,700	1,700	1,7
Maximum towing weight w/brake 12% (kg)	1,400	1,500	1,5

Engine	2.0 TDI evo 150 HP (110 kW) DSG-7
Cylinder/Valve (total)	4/16
Displacement (cc)	1,968
Cylinder bore and stroke (mm)	81.0/95.5
Compression ratio	16
Maximum power (kW (HP)/rpm)	110 (150)/3,000 - 4,200
Maximum torque (Nm/rpm)	360/1,600 - 2,750
Fuel supply system	Direct Injection: Common Rail
Ignition	Compressed ignition
Atmospheric/Supercharged	Turbo charged
Fuel type	Diesel
Oil capacity in initial fill [I]	5.0
Emission control	
Alternator (A)	140 ME
Battery (Ah/A)	68 - 70/380 - 420
Performance	
Maximum speed (km/h)	217 (VI)
Acceleration 0-80 km/h (s)	6.1
Acceleration 0-100 km/h (s)	8.8
Acceleration 80-120 km/h (s)	9.6
Acceleration 1000 m (s)	30.2
Fuel consumption	
Urban (l/100 km)	-
Extra urban (l/100 km)	
Combined (l/100 km)	
CO2 mass emission	
CO2 Urban (g/km)	
CO2 Extra Urban (g/km)	-
CO2 Combined (g/km)	

is provisional

Chassis	2.0 TDI evo 150 HP (110 kW) DSG-7	
Front suspension	Independent McPherson type, coil springs and hydraulic shock absorber	
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber	
Steering System	R-EPS (Rack Electric Power System)	
Turning diameter (m)	10.5/11.2 (between walls)	
Brake system	Dual hydraulic circuit and brake system diagonal split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes	
Front brakes (mm)	288×25 (DCC 312×25)	
Rear brakes (mm)	253×10 (EPB 272×10)	
Wheels		
Rims	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	
Tyres	205/55 R16 91V - 225/45 R17 91W - 225/40 R18 92Y	
Dimensions		
Body Type	5 SP	
Length/width/height (mm)	4,642/1,799/1,450	
Length/width/height FR (mm)	4,642/1,799/1,437	
Wheelbase (mm)	2686	
Wheelbase FR (mm)	2684	
Front/Rear track (mm)	ET 43 1550/1520	
Front/Rear track FR (mm)	ET 46 1544/1514	
Boot capacity [l]	1600	
Petrol tank capacity (l)	45	
Weights		
In running order with driver (kg)	1,491	
In running order with driver (kg) Front/Rear	907/584	
Maximum weight allowed (kg)	2,080	
Maximum towing weight without brake [kg]	740	
Maximum towing weight w/brake 8% [kg]	1,800	
Maximum towing weight w/brake 12% (kg)	1,600	

Engine	1.4 e-HYBRID 204 HP (110-150 kW) DSG-6
Cylinder/Valve (total)	4/16
Displacement (cc)	1,395
Cylinder bore and stroke (mm)	74.5/80
Compression ratio	10
Combined Maximum power (kW (HP)/rpm)	150 (204)/5,000-6,000
Combined Maximum torque (Nm/rpm)	350/1,550-3,500
Fuel supply system	TSI Direct Injection
Ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbo charged
Fuel type	ROZ 95
Oil capacity in initial fill (I)	4.5
Emission control	
Alternator (A)	
Battery (Ah/A)	59/320
Electric engine/charging system	
Maximum power (kW (PS))	85 (116)
Maximum torque (Nm)	330
Battery type	Li-ion
Battery capacity (kWh)	12.8
Charging time AC 2.3 kW 0-100% SoC	5h 48 min
Charging time AC 3.6 kW 0-100% SoC	3h 42 min
Combustion engine	
Maximum power (kW (HP)/rpm)	110 (150)/5,000 - 6,000
Maximum torque (Nm/rpm)	250/1,550 - 3,500
Performance	
Maximum speed (km/h)	220 (5.G)
Acceleration 0-80 km/h (s)	5.6
Acceleration 0-100 km/h (s)	7.7
Acceleration 80-120 km/h (s) at V. max. Gear	7.9
Acceleration 1000 m (s)	28.5

is provisional

Chassis

Front suspension Rear suspension Steering System Turning diameter (Brake system Front/Rear brake t Front brakes (mm) Rear brakes (mm)

Wheels

Rims Tvres -----

Dimensions

Body Type Length/width/heig Wheelbase (mm) Front/Rear track (r Boot capacity [l] Petrol tank capacit

Weights

In running order wit In running order wi Maximum weight a Maximum towing Maximum towing v Maximum towing v

	1.4 e-HYBRID 204 HP (110-150 kW) DSG-6
n	Independent McPherson type, coil springs and hydraulic shock absorber
1	Miltilink axle, coil springs and hydraulic shock absorber
1	R-EPS (Rack Electric Power System)
er (m)	10.5/11.2 (between walls)
	Dual hydraulic circuit and brake system diagonal split with electric brake booster
e type	Front ventilated disc brakes and rear solid disc brakes
m]	312×25
n]	272×10
	7.5 J×17 ET46 - 7.5 J×18 ET46
	225/45 R17 - 225/40 R18
	SP e-HYBRID
eight (mm)	4,642/1,799/1,456
ו)	2,682
(mm)	1,558/1,514
]	470
acity [l]	40
with driver (kg)	1,658
with driver (kg) Front/Rear	901/757
nt allowed (kg)	2,080
g weight without brake (kg)	750
g weight w/brake 8% (kg)	1.700
g weight w/brake 12% [kg]	1.500

TSI & eTSI	Reference	Style	Xcellence	FR
1.0 TSI 90 HP (66 kW) Man-5	0	0	_	-
1.0 TSI 110 HP (81 kW) Man-61	0	0	0	0
1.0 eTSI 110 HP (81 kW) DSG - 7²	_	0	0	0
1.5 TSI 130 HP (96 kW) Man-6	_	0	0	0
1.5 TSI 150 HP (110 kW) Man-6	_	0	0	0
1.5 eTSI 150 HP (110 kW) DSG-7	-	0	0	0

TDI
2.0 TDI evo 115 HP
2.0 TDI evo 150 H

TGI 1.5 TGI 130 HP (96

e-HYBRID 1.4 e-HYBRID 204

Standard
 Optional
 Not available

Not available

¹ This engine is only available for Leon 5D.

² This engine will be available from w.10, 2021 for Leon Sportstourer.

³ This engine will be available from w.4, 2021 for Leon 5D.

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

	Reference	Style	Xcellence	FR
HP (85kW) Man-61	0	0	0	0
)HP (110 kW) DSG-7	-	0	0	0
96kW) DSG-73		0	0	0
04 HP (110-150 kW) DSG-6		-	0	0

Dimensions.





* Model with 195/65 R15 ET45

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.





* Model with 195/65 R15 ET45

SEAT

SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental lmpact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.



12/2020. Printed in Spain.