

CELERIO

# CELERIO



### FOR STYLE THAT NEVER STOPS.

The excitement of the city is endless... The next thrill could be just a turn away! And with its 3D Organic Sculpted Design, its peppy Next Gen K-series engine, and other dynamic features, the Celerio is ready to be your perfect partner in style through it all!

CELERIO

CELERIO

#### **RADIANT GRILLE WITH SHARP CHROME ACCENTS**





**ANIMATED SWEEPING HEADLAMPS** 





### **SPACE FOR ALL YOUR STYLE.**

Step inside the Celerio, and you step into a sleek world filled with the best of technology and comfort. Featuring a new age Smartplay Infotainment System and Engine Push Start-Stop technology, these modern and trendy interiors are designed so you never run out of space for your style.













## **SPIRITED AND ENERGISED.**

The Next Gen K10C Engine is the perfect reflection of your spirit, providing a lively and invigorated drive while ensuring India's best fuel-efficiency so you can drive your style anywhere you want. Also available with S-CNG technology, the Celerio brings you a safer, high-performing engine that gives you a dynamic driving experience and greater savings.

INDIA'S MOST FUEL 26.00<sup>#</sup> km/l





### CONVENIENCE JUST BECAME STYLISH.

Everything about the Celerio has been designed to accommodate all your special fast-paced lifestyle needs, so that everything you look for is right at your convenience.



OLUBIELT REAL SEATE





### **ENGINE PUSH START-STOP BUTTON**









### **CONNECTED AND READY.**

The modern age is all about staying connected with the ones you love, and the Celerio makes this effortless. The large 17.78cm Smartplay Studio screen comes with Smartphone Navigation so that you're always connected on the go.

C



. . .

dnesday

ø

The all-in-one connectivity suite





### **UNCOMPROMISED SAFETY.**

Drive with confidence. Celerio's comprehensive safety suite includes 12+ features such as 6 airbags (standard across all variants), ABS, and Hill Hold Assist<sup>^</sup>, ensuring protection for you and your loved ones at every turn.

#### 6 AIRBAGS<sup>#^</sup>

#^For details on functioning of safety features, including air bag, kindly refer to the Owner's Manual.





The Heartect platform adds to the safety of the Celerio by providing a rigid structure for the effective absorption and dispersion of impact force.

IN SEGMENT^^#

#### **HEARTECT PLATFORM**



#### FRONT SEAT BELTS PRE-TENSIONER AND FORCE LIMITER





### **COLOUR SPECIFICATIONS**



**METALLIC SPEEDY BLUE** 



**SOLID FIRE RED** 



**METALLIC SILKY SILVER** 



**METALLIC GLISTENING GREY** 



**PEARL CAFFEINE BROWN** 



**PEARL ARCTIC WHITE** 



PEARL BLUISH BLACK###

FEATURE LIST Variants	LXi MT	VXi MT/CNG	ZXi MT	ZXi+ MT	VXi AGS	ZXi AGS	ZXi+AG
EXTERIORS	EXIMI		2/11/11		VALAGO	ZAI AGO	ZANAO
ORVM with Turn Indicators	Х	Х	√	$\checkmark$	Х	$\checkmark$	√
Front Fog Lamps	X	X	X	✓ ✓	X	X	✓
Body-Coloured Bumper	X	×	X	· · ·	X	X	· · · · · · · · · · · · · · · · · · ·
Body-Coloured ORVMs	X		 ✓	 ✓	 ✓	 ✓	· · · · · · · · · · · · · · · · · · ·
Body-Coloured Outside Door Handles	X	$\checkmark$	✓ ×	✓ <i>✓</i>	$\checkmark$	$\checkmark$	
Chrome accent on front grille	X √	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	√
B Pillar Black Out Tape	Х	Х	Х	√	Х	Х	✓
•	X						
Full Wheel Covers	(Center cap)	$\checkmark$	$\checkmark$	Х	~	~	X
Alloy Wheels R15 (38.02 cm)	X	Х	Х	$\checkmark$	Х	Х	✓
INTERIORS			X			~	
Co-Dr Vanity Mirror in Sun Visor	Х	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	✓
Dr. Side Sunvisor with ticket holder	√	$\checkmark$	✓	$\checkmark$	$\checkmark$	$\checkmark$	✓
Day Night IRVM	X	$\checkmark$	✓ <i>✓</i>	$\checkmark$	$\checkmark$	$\checkmark$	√
Front Cabin Lamp (3 Positions)		$\checkmark$	· · · · · · · · · · · · · · · · · · ·	✓ ·	$\checkmark$	 ✓	 ✓
Bottle Holder	6	6	6	6	6	6	6
Driver Seat Height Adjuster	X	X	X	 √	X	X	 ✓
Front Seat Back Pockets (Passenger Side)		×	X	✓ ✓	X	X	 ✓
Rear Seat (60:40 split)	X	· · ·	· · · · · · · · · · · · · · · · · · ·	· · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · ·
Front and Rear Headrest	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrate
Rear Parcel Shelf	X		√ Integrated	√ Integrated	√	√	
SAFETY AND SECURITY		•	·	· ·	· ·	· ·	· ·
Side and Curtain Airbags <sup>#</sup>	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	<ul> <li>✓</li> </ul>	$\checkmark$
Dual Front Airbags (Driver and Co-driver)*	 ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	v 
Seat Belt Reminder with Buzzer (Front & Rear Seat)	∕	✓	✓	✓	✓	✓	✓
Seat Belt Pre-Tensioner & Force Limiters (Dr.+Co-Dr.)	✓	✓	✓	✓	✓ ✓	✓	✓
3-Point seat belts for all Seats	✓	✓	<ul> <li>✓</li> </ul>	✓	<ul> <li>✓</li> </ul>	✓	✓
Hill Hold Assist^^	Х	Х	Х	Х	✓	✓	√
Impact-Sensing Auto Door Unlock	Х	✓	✓	✓	~	~	√
Pedestrian Protection	$\checkmark$	$\checkmark$	$\checkmark$	✓	$\checkmark$	~	✓
ABS with EBD	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Electronic Stability Program (ESP)	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Speed-Sensitive Auto Door Lock	Х	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Headlight Leveling	✓	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	√
Rear Window Wiper & Washer	Х	Х	$\checkmark$	√	Х	$\checkmark$	$\checkmark$
Front Ventilated Disc	✓	<ul> <li>✓</li> </ul>	✓	✓	✓	~	√
Immobilizer	√	✓	✓	✓	$\checkmark$	$\checkmark$	√
Child-Proof Rear Door Locks	√	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	√
Rear Defogger	Х	Х	✓	$\checkmark$	Х	$\checkmark$	$\checkmark$
Speed Alert System <sup>^</sup>	X	X	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	X 	· · ·	· · ·
Reverse Parking Assist Sensors	 ✓	 ✓	 ✓	 ✓	 ✓	 ✓	√
COMFORT AND CONVENIENCE							
Air Conditioner (Manual)	√	$\checkmark$	√	$\checkmark$	$\checkmark$	$\checkmark$	<ul> <li>✓</li> </ul>
Pollen Filter		$\checkmark$	✓	$\checkmark$	$\checkmark$	$\checkmark$	✓
Engine Push Start/Stop with Smart Key	X	X	X	· · · · · · · · · · · · · · · · · · ·	X	X	· · ·
Smartplay Studio System with Smartphone Navigation and						~	
Voice Command (Android Auto and Apple CarPlay enabled)	X	Х	Х	$\checkmark$	X	Х	✓
Smart Play Dock - USB, FM, AUX, BT	X	Х	✓	Х	Х	✓	Х
No. of Speakers	X	X	4	4	X		4
			4 √	4		4	4 _√
Remote Keyless Entry	X	X			X		
Security System	X	X	✓ ✓	✓	X	✓	✓
Central Door Lock (5 Doors)	X	√ 	√ 	√ 	√ 	√ 	√ 
Power Windows	X	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr
Power Windows - Auto Down (Driver Side)	X	✓	✓	✓	✓	✓	√
		Electrically	Electrically	Electrically	Electrically	Electrically	Electrica
Outside Mirrors Type	Flap Type						Adjustab
		Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Aujustal
Electrically-Foldable ORVM	Х	Х	Х	$\checkmark$	х	х	~
-							
Steering-Mounted Audio Controls	Х	Х	✓	~	Х	$\checkmark$	✓
Steering-Mounted Voice Control	Х	Х	Х	<ul> <li>✓</li> </ul>	Х	Х	✓
Power-Steering	√	✓	✓	✓	✓	✓	✓
Engine Idle Start Stop	√	✓ (Petrol)	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
CENTRAL CONSOLE & INSTRUMENT PANEL							
Illumination Colour	Reddish	Reddish	Reddish	Reddish	Reddish	Reddish	Reddis
	Amber	Amber	Amber	Amber	Amber	Amber	Ambei
Tachometer	Х	Х	√	✓	~	~	~
	X 	X √	 ✓	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	 √
	X	X	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	X	· · · · · · · · · · · · · · · · · · ·	· ·
		× ×	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	∧	· · ·	· · · · · · · · · · · · · · · · · · ·
Tilt Steering		v	Silver	Silver	Silver	Silver	Silver
Tilt Steering Accessory Socket		Cilvor	OUVEL	SILVEL	Silver		Paintee
Tilt Steering Accessory Socket	Black	Silver		Doint-J	Doint-J		<ul> <li>Painte</li> </ul>
Tilt Steering Accessory Socket Dial-Type Climate Control	Black	Painted	Painted	Painted	Painted	Painted	
Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.)	Black	Painted ✓	Painted ✓	$\checkmark$	~	$\checkmark$	$\checkmark$
Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.) Distance to Empty	Black ✓	Painted ✓ ✓	Painted ✓ ✓	✓ ✓	✓ ✓	✓ ✓	√ √
Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.) Distance to Empty Gear Position Indicator	Black ✓ X	Painted ✓ ✓ X	Painted ✓ ✓ X	√ √ X	√ √ √	√ √ √	√ √ √
Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.) Distance to Empty Gear Position Indicator Gear Shift Indicator	Black ✓ X ✓	Painted           ✓           X           ✓	Painted           ✓           X           ✓	✓ ✓ X ✓	√ √ √ X	√ √ √ X	√ √ √ X
Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.) Distance to Empty Gear Position Indicator Gear Shift Indicator Door Ajar Warning Lamp	Black ✓ X	Painted ✓ ✓ X	Painted ✓ ✓ X	√ √ X	√ √ √	√ √ √	√ √ √
Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.) Distance to Empty Gear Position Indicator Gear Shift Indicator Door Ajar Warning Lamp	Black ✓ X ✓	Painted           ✓           X           ✓	Painted           ✓           X           ✓	✓ ✓ X ✓	√ √ √ X	√ √ √ X	√ √ √ X
Urethane Steering Wheel Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.) Distance to Empty Gear Position Indicator Gear Shift Indicator Door Ajar Warning Lamp Headlamp Warning Low Fuel Warning	Black           ✓           ✓           X           ✓	Painted           ✓           ✓           X           ✓           ✓	Painted           ✓           X           ✓           ✓	√ ✓ X ✓	√ √ √ X √	√ √ √ X √	√ √ √ X √

SPECIFICATION SHEET		PETROL	CNG				
Variants		LXi, VXi, VXi AGS, ZXi, ZXi AGS, ZXi+, ZXi+ AGS	VXi				
DIMENSIONS (in mm)							
Overall Length		369	95				
Overall Width		1655					
Overall Height		1555					
Wheelbase		2435					
Tread	Front	1430(R14),1440(R15)					
Tread	Rear	1440(R14),1450(R15)					
ENGINE							
Туре		K10C	K10C CNG				
Capacity		998	сс				
Engine Type		Alumi	Aluminium				
Number of Cylinders			3				
Number of Valves in Each Cylinder		4	ļ				
Maximum Output		50.4kW (68.5PS) @ 5600rpm	CNG Mode: 41.7kW (56.6PS) @ 5300rpm Gasoline Mode: 49.8kW (67.7PS) @5600rpm				
Maximum Torque		91.1Nm @ 3400rpm	CNG Mode: 82.1Nm @ 3400rpm Gasoline Mode: 91.1Nm @ 3400rpm				
Emission Standard Type		BS VI + OBD II					
Accelerator Pedal Type		Electric type					
TRANSMISSION							
Туре		5MT/ Auto Gear Shift	5MT				
SUSPENSION SYSTEM							
Front		Mac Pherson Strut with Coil Spring					
Rear		Torsion Beam with Coil Spring					
WEIGHT (kg)							
Kerb Weight		810 kg (LXi MT); 820 kg (VXi MT/ ZXi MT); 825 kg (VXi AGS); 830 kg (ZXi+ MT/ ZXi AGS); 835 kg (ZXi+ AGS)	915 kg (VXi MT)				
Gross Vehicle Weight		1260	1320				
CAPACITY							
Seating Capacity	Persons	5					
Luggage Capacity (L)		292***	-				
Fuel Tank Capacity (L)		32	Petrol: 32 CNG: 60 (Water Equivalent)				
POWER STEERING							
Туре		Electric Power Steering					
TYRES							
Tyre Size**		ZXi+ -175/60 R 15, LXi,VXi,ZXi - 165/70 R 14					
BRAKES							
Front		Disc					
Rear		Drum					

Fr-Front, Rr-Rear, Dr-Driver, MT-Manual Transmission, AGS-Auto Gear Shift



\*The claim is specific to CNG & petrol MT categories. Based on SIAM data and JATO Dynamics research dated Oct 17, 2024 for the passenger vehicle segment. #Mileage is certified by test agency under rule 115(G) of CMVB 1989.

All variants LXi, VXi, ZXi & ZXi+ are BS VI (including OBD II) compliant.

MT: Manual Transmission, AGS: Auto Gear Shift

M1: Manual Transmission, AGS: Auto Gear Shift Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and/or replace any part or accessory with any product. Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Image used are for illustration purposes only. \*\*For details on functioning of safety features, including air bag, kindly refer to the Owner's Manual. \*The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will stop. This buzzer does not indicate any malfunction in vehicle.\*\*Dare wheel material is steel (for all variants) and tyre size is 165/70 R14. "\*DA Method. "\*Only applicability to Petrol variants. \*\*\*Whichever is earlier. \*\*\*Available in all the variants except for LXi MT. \*^Available in AGS variant.\*\*\*Based on SIAM data and JATO dynamics research dated 7th January, 2025 for the passenger vehicle segment

\*\*ABS is a device that assists the driver during braking. It does not eliminate the need to drive safely, for example by slowing down when approaching a corner.